SCIENTIFIC AMERICAN

[Entered at the Post Office of New York, N. Y., as Second Class Matter.]

A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURES.

Vol. LI.—No. 26. [NEW SERIES.] NEW YORK, DECEMBER 27, 1884. [$3.20 per Annum. [POSTAGE PREPAID.]



THE INTEROCEANIC SHIP RAILWAY.—A STEAMER IN TRANSIT.—[See page 428.]

© 1884 SCIENTIFIC AMERICAN, INC



Scientific American.

ESTABLISHED 1845.

MUNN & CO., Editors and Proprietors.

PUBLISHED WEEKLY AT

No. 361 BROADWAY, NEW YORK.

O. D. MUNN. A. E. BEACH.

TERMS FOR THE SCIENTIFIC AMERICAN.

One copy, one year postage included..... $3 20
One copy, six months postage included 1 60

Clubs.—One extra copy of THE SCIENTIFIC AMERICAN will be supplied gratis for every club of five subscribers at $3.20 each; additional copies at same proportionate rate. Postage prepaid.

Remit by postal order. Address

MUNN & CO., 361 Broadway, corner of Franklin street, New York.

The Scientific American Supplement

is a distinct paper from the SCIENTIFIC AMERICAN. THE SUPPLEMENT is issued weekly. Every number contains 16 octavo pages, uniform in size with SCIENTIFIC AMERICAN. Terms of subscription for SUPPLEMENT, $5.00 a year, postage paid, to subscribers. Single copies, 10 cents. Sold by all news dealers throughout the country.

Combined Rates.—The SCIENTIFIC AMERICAN and SUPPLEMENT will be sent for one year postage free, on receipt of *seven dollars*. Both papers to one address or different addresses as desired.

The safest way to remit is by draft, postal order, or registered letter. Address MUNN & CO., 361 Broadway, corner of Franklin street, New York.

Scientific American Export Edition.

The SCIENTIFIC AMERICAN Export Edition is a large and splendid periodical, issued once a month. Each number contains about one hundred large quarto pages, profusely illustrated, embracing: (1.) Most of the plates and pages of the four preceding weekly issues of the SCIENTIFIC AMERICAN, with its splendid engravings and valuable information; (2.) Commercial, trade, and manufacturing announcements of leading houses. Terms for Export Edition, $5.00 a year, sent prepaid to any part of the world. Single copies 50 cents. ☞ Manufacturers and others who desire to secure foreign trade may have large, and handsomely displayed announcements published in this edition at a very moderate cost.

The SCIENTIFIC AMERICAN Export Edition has a large guaranteed circulation in all commercial places throughout the world. Address MUNN & CO., 361 Broadway, corner of Franklin street, New York

NEW YORK, SATURDAY, DECEMBER 27, 1884.

Contents.

(Illustrated articles are marked with an asterisk.)

Aerolite secured, splendid..... 426
Ammonia for flowering plants and strawberry plants..... 426
Aqueduct, Washington, the..... 424
Balancing device for vessels*..... 426
Business and personal..... 432
Business, how is..... 424
Crow hut, a..... 426
Decoy owl*..... 427
Dividend every week..... 425
Dredges, chance for our makers of..... 424
Elevators, reaglators for*..... 426
Exposition, New Orleans, opening of the..... 425
Hut, crow..... 426
Inventions, engineering..... 432
Inventions, index of..... 433
Inventions, mechanical..... 432
Inventions, miscellaneous..... 432
Investment, a sure..... 425
Labor, value of..... 424
Lightning protector, novel..... 424
Notes and queries..... 432, 433
Owl, decoy*..... 427
Planets, aspects for January..... 425
Pontoon and railway cradle of Interoceanic ship railway*..... 430
Propelling vessels, novel method of*..... 426
Railway, ship, interoceanic, steamer in transit*..... 423, 428
Regulator for elevators, safety, new*..... 426
Regulator, watch*..... 426
Saw tempering by natural gas heat..... 424
Tempering thin mills..... 426
Turntable, floating, of the interoceanic ship railway*..... 431
Watch regulator, Tuttle's*..... 426
Workmanship, improved..... 424

TABLE OF CONTENTS OF

THE SCIENTIFIC AMERICAN SUPPLEMENT

No. 469,

For the Week ending December 27, 1884.

Price 10 cents. For sale by all newsdealers.

PAGE

I. CHEMISTRY AND METALLURGY.—Examination of Bread and Flour.—Foreign substances found..... 7482
Experiments in Gaseous Combustion..... 7488
Influence of Light on the Development of Yeast..... 7490
The Fusion of Iron..... 7490
The Vapors of Metals.—The spectroscopic examination of the vapors evolved on heating iron, etc., at atmospheric pressure.—By J. PARRY..... 7491

II. ENGINEERING AND MECHANICS.—Steam Yachts..... 7485
Center-board Catamaran.—2 illustrations..... 7485
The Working of Gas Engines.—Vertical tandem condensing engine.—3 figures..... 7487
Vertical Cold Air Machine..... 7487

III. TECHNOLOGY.—Fustian, Beaverteen, Moleskin.—Manufacture of same..... 7488
Utilizing the By-products from Coke Ovens.—By Dr. C. OTTO.—With 4 figures representing Hoffmann's regenerator coke ovens..... 7489
Preparation of Maltose..... 7490

IV. ARCHITECTURE, ETC.—The New Observatory at Nice.—With engraving..... 7479
Castle Hummelshain, near Kahla, Thuringia.—With engraving..... 7490

V. ASTRONOMY.—On the Constitution of Gaseous Heavenly Bodies. 7479

VI. GEOLOGY.—The Geological Structure of the Sahara..... 7491

VII. NATURAL HISTORY.—The Fresh Water Flora and Fauna of Central Park.—Preliminary paper.—By L. P. GRATACAP and A. WOODWARD..... 7480

VIII. HYGIENE, MEDICINE, ETC.—The Removal of Tatoo Marks..... 7482
Pasteur on the Prevention of Hydrophobia..... 7482
How to Dispose of House Sewage.—By M. T. CLARK..... 7482

IX. MISCELLANEOUS.—The Antiquity of Man.—By ED. CLODD..... 7483
Nitro-glycerine in the Oil Regions.—Advantages gained by its use.—Accidents caused by the same..... 7484

X. BIOGRAPHY.—The Late Right Hon. Henry Fawcett.—Postmaster-General of Great Britain.—With portrait and other engravings. 7483

HOW IS BUSINESS?

Somewhat extended presentations of this question to manufacturers over a considerable district of New England elicit a hopeful if not a satisfied reply. The gloom of a despondent winter is partially relieved by the hope of a better future—by the signs, even now, of improved conditions. Establishments which had shortened hours last October have resumed the usual time; others, that had shut down entirely before November 1, have started up, perhaps on diminished time; others, which had discharged men in the latter part of the fall, are encouraging their men to remain with them to meet new orders just received. This is not the picture of the entire territory, but it is that of the larger portion of it; and it comprehends the manufactures of cotton, wool, iron, brass, and wood—in fact, it covers an example of almost every prominent New England manufacture. The general feeling is one of hopefulness; this begets confidence, encourages capital, and inspires purchasers.

During the first ten days of December, 1884, one of the largest dealers in iron and coke made larger sales than during the same term the year before, the facilities for supplying demands being ample in both instances. He reported that in Boston, Mass., and Providence, R. I., at that time, the condition of business had improved, and that the prospect in the territory dominated by these trade centers was encouraging.

Of course, different men give different reasons or suggestions to account for the alarming depression in business—overproduction, lack of adequate markets, the system in some sections of the country of giving long credits, and the disturbance of business by the excitements and unreasonable alarms attending a political national campaign. Whatever the causes, they seem to be gradually in process of removal by the settlement of the political caldron.

IMPROVED WORKMANSHIP.

Said an old and long experienced machinist the other day, one of a firm of well known manufacturers: "I should be ashamed now to father some of the nice jobs I prided myself upon thirty years ago. I was a first class machinist, and got first class pay; but I have men in my shop, not yet out of their four years' apprenticeship, who can do a better job than I could then. And it is not all owing to improved machine tools; it is because better work is exacted, and better instruction is given to apprentices."

The reduplication of parts and of entire machines in modern practice is one reason for this improvement in individual skill. In addition to the necessary hand work in making templates, jigs, gauges, and other appliances for reduplication, there is much more exactness in fitting than formerly, requiring individual judgment, patience of work, and skill of hand. The modes of doing work have been greatly changed; patterns for the moulder are made to such modifications of the old fashioned rule of "one-eighth of an inch to the foot for shrinkage" as would astonish a Rip Van Winkle of a machinist or pattern maker. Some patterns require very intricate calculations and very exact proportions before they finally leave the pattern shop for the foundry. Castings now come from the pickling room requiring only a superficial dressing to fit.

So, the forger must work to the line. Thirty years ago, if the forger's product resembled the object intended as closely as Hamlet's cloud did a whale or a camel, it was as near as could be expected; but now there are jobs coming from the forging shop that it seems a shame to submit to the tearing planer and the rasping milling machine. Thirty years ago a machine tool new from the shop was expected gradually to work itself into usable shape; the carriage and foot stock of a lathe were to gradually adapt themselves to the ways of the lathe, and the crosshead of the new planer had to be gibbed up again and again, and perhaps ground with flour of emery and oil, before it fitted the uprights; and it was a common practice to run the platen of the new planer back and forth, for a day or so, with the Vs loaded with emery and oil.

To-day the new tool works as perfectly when first started as when months old; a result to be attributed more to the patience and skill of the workman than to the improvements in the tools he uses; the scraping to fit of the modern machine shops demands as much judgment and hand skill as it does of patience.

The Washington Aqueduct.

The project of supplying the capital with water by forming a tunnel through several miles of rock, from the distributing reservoir above Georgetown to a much larger one in the vicinity of Howard University, is now rapidly advancing at all points. The great subterranean cylinder, when finished, will be eleven feet wide, seven and a half feet high, and nearly 22,000 feet long, and will be able to furnish a liberal supply for many years in the future. Along the course of the new aqueduct, at convenient distances, five large shafts have been sunk to the average depth of nearly one hundred feet. The shafts are sunk about ten feet deeper than the floor of the tunnel, forming wells to receive the springs that flow through the interstices of the rock. Compressed air is the motive power employed for all the pumping, drilling, hoisting, and ventilating. A substantial edifice has been built at a central point upon the Chesapeake & Ohio Canal, where fuel is delivered at least cost. This building contains six 100 horse power boilers, arranged in one battery, and these are worked incessantly, night and day, except Sundays, for the compression of air. Four 150 horse power compressors receive the air, which, during the process of compression, is cooled by a spray of water injected into the air cylinder, and in this condition passes into the air receiver. A complicated and singular process then forces the compressed air through a 12 inch pipe into a body of water, which experience has shown to be the easiest way of extracting the moisture that would cause it to freeze in the machine using it. The concentration of the power at one point necessitates the use of five miles of 12 and 6 inch pipes to convey and distribute the compressed air. There are in operation in the several shafts twenty-eight rock drills, which work under a pressure of sixty pounds to the square inch, and enable the contractors to proceed with the tunnel about fifty feet per day. Twice in twenty-four hours there is a temporary cessation of the boring apparatus. After detaching and protecting the machinery, the blasts are set, and all the workmen ascend the shaft. The blasts are discharged simultaneously by a battery, the foul air and smoke are driven out by turning on the air, another gang of workmen descends, and boring again begins. Nearly 300 men are employed at the different shafts, in addition to a Lidgerwood hoisting engine and a Knowles pump stationed at each shaft. Appliances are at hand for graduating the pressure, and a stop valve can instantly separate any one shaft from the rest of the works. The debris produced by blasting is removed on cars, propelled on rails to the shaft, where it is hoisted, emptied, and the car returned, there being a double track of rails in the tunnel. The broken rock is conveyed to the site of the new reservoir, where it is utilized by more than 350 men, who are at work on the construction of that immense tank. The whole enterprise was to be finished before the middle of next year; but it is now conceded that at least another year must be added to the time.—*New York Tribune.*

Novel Lightning Protector.

The Washington (D. C.) Monument, which is to be about 500 feet high, is approaching completion. To protect it from lightning the following novel expedient is employed. The apex of the monument is to consist of a conical block of aluminum of considerable size; to its bottom part will be attached a heavy copper bolt or cord, which will at once be divided into four parts, one of these being carried to either of the four heavy columns supporting the elevator. These in turn will be connected with the well near the base of the monument, thus making a complete and ample connection between its summit and the earth. A similar connection between the temporary top of the column and the earth has always been maintained, thus protecting the workmen as well as the structure itself from the effects of any electrical disturbances.

Value of Labor.

A school reading-book of the last generation had an article on the mechanic arts in which was a remarkable statement of the immense increase of value imparted to a pound of iron when manipulated and manufactured into watch springs. The illustration was misleading, because it left out all the expense of conversion from crude iron to spring steel, and took no account of the inevitable enormous waste of material; the idea conveyed was that the conversion of a single pound of iron into a pound of watch springs was possible.

But the increased value of a product of manufacture by labor can be illustrated by an example that is open to no objection of overstatement. A piece of steel bar, square, three-eighths of an inch diameter and two inches long, worth perhaps half a cent, can be increased to more than forty times its initial value by labor. A single blow of a drop hammer on the heated steel punches the central portion against the sides, and forms the steel into a hollowed parallelogram; another blow forms the outside, so that the squared ends become rounded or shaped like the bows of a boat; a final blow completes the shape into that of a sewing machine shuttle. The forging is then placed in a die under a powerful press to compact its substance, is finished on a buff wheel, is drilled, fitted with a tension spring, and is ready for sale, bringing at wholesale from twenty to thirty cents.

A Chance for Our Makers of Dredges.

By reference to another column, it will be seen that American manufacturers of dredging apparatus have an opportunity of filling still another foreign order, this time for the Spanish government, for use at the port of San Juan, Porto Rico. A dragboat is called for, with screw propeller of 100 horse power, five iron barges, and two towboats. Three months are allowed for sending in proposals, and eight months thereafter for building the apparatus. On the Panama Canal, American dredges have been proved superior to the several patterns of dredges of European make also in use there, and our makers of such apparatus are not likely to neglect this opportunity of competing with foreign manufacturers in the same line.

Saw Tempering by Natural Gas Heat.

Messrs. Emerson, Smith & Co., Limited, of Beaver Falls, Pa., are, we believe, the first to use natural gas in heating furnaces for hardening and tempering saws. It is claimed that, natural gas being composed so largely of "hydrogen" and entirely free from sulphur or other base substances, and giving a steady, regular heat, steel is stronger and rendered less brittle and less liable to crumble than when heated by coal or coal gas.

© 1884 SCIENTIFIC AMERICAN, INC

ASPECTS OF THE PLANETS FOR JANUARY.

MERCURY

is evening star until the third, and morning star for the rest of the month. He comes to the front among his brethren on the January record, for he contributes three important incidents to diversify the annals of the month, including his inferior conjunction with the sun, greatest western elongation, and conjunction with Venus.

On the 3d, at 5 o'clock in the evening, he is in inferior conjunction with the sun. Our brother with the winged feet then passes between us and the sun, making the passage above the luminary, and therefore leaving no tiny black spot on the sun's shining face to mark the transit. Indeed, he is at that time far away from one of his nodes, where only transits can occur, nor will our eyes be gladdened by the sight of a transit of Mercury until the year 1891. Through these intervening years he must pursue his appointed path, before he is near one of his nodes, when his inferior conjunction occurs. Only under those conditions, will he be projected on the face of the sun as a black point so small that a telescope is required to reveal its presence on the solar orb.

On the 26th, at 8 o'clock in the morning, Mercury reaches his greatest western elongation, when he is 24° 53′ west of the sun. He will be visible to the naked eye as morning star at that time, and for a week or ten days before and after the elongation. Although he is at the present elongation nearly at his maximum distance from the sun, he will be difficult to pick up on account of his great southern declination. He rises on the 26th about an hour and a quarter before the sun, and may be looked for 3° 30′ south of the sunrise point. Fortunately for observers, the fairest of the stars is in his near vicinity, where he is most easily seen.

On the 24th, at 5 o'clock in the morning, Mercury and Venus are in conjunction, Mercury being 1° 6′ north, a distance a little greater than twice the apparent diameter of the sun. On that morning, the two planets will rise nearly at the same time, a few minutes before 6 o'clock. Venus is so brilliant that she will be seen at a glance in the southeast, and, not far to the north, keen-eyed observers will find the shy planet, so difficult to discover when its place is not known, so easy to pick up when one knows just where to look. Mercury and Venus continue their companionship during the rest of the month, rising on the last day with only a difference of six minutes.

Astronomers thus far have been able to find out very little about Mercury, for his nearness to the sun makes him a difficult object to observe with accuracy. The period of his rotation, supposed to be nearly twenty-four hours, is not considered as established with certainty, neither is the position of his axis. Schroeter, at the beginning of the present century, observing Mercury in crescent form, either saw, or thought he saw, the southern horn of the crescent blunted at certain intervals. He interpreted the phenomenon as due to the shadows of lofty mountains, which, according to his measurement, were twelve miles in height. But the more powerful instruments of the present day fail to confirm these observations. Nothing is considered "proven" in regard to the planet's atmosphere, its deviation from a spherical form, or many other phenomena perhaps due to the imagination of observers.

A more important problem is now puzzling the brains of the men of science. Leverrier, after profound and exhaustive examination of records, announced that the perihelion of Mercury's orbit moves round the sun more rapidly than can be explained by the action of the other known planets, the acceleration amounting to 40″ in a century. The French astronomer searched diligently for the cause, and finally concluded that the effect was due to an unknown planet or planets revolving between Mercury and the sun. He died in this belief, and in confident expectation that one or more planets would be added to the system, and the Mercurial perturbations be accounted for. The incorrigible planet, however, refuses to come under the rules, while the fact that the perihelion point of his orbit moves round the sun faster than it ought to is considered as established beyond question. The cause of the anomaly is no nearer discovery than it was in the beginning. It would seem as if, from its present standpoint, the science of astronomy had here a question to deal with beyond its capacity to grasp.

No problematical Vulcan, no unnamed planets, no group of asteroids, have been seen beyond question to pass over the sun, and restore harmony to the system. Unskilled observers have noted little bodies crossing the sun that had the appearance of planets. Their observations have not been confirmed by observers who for fifty years have never allowed a clear day to pass without scanning or mapping the sun's face. The transit of a planet no bigger than a pin's head would not escape their vigilant watch.

During total eclipses tiny stars have been noted that it was hoped might prove to be the much desired planets. But the preponderance of evidence is against the existence of the unseen wanderers; the problem remains unsolved. The best observers with the finest instruments and the most favorable opportunities have thus far found no clew. Mercury defies the host of terrestrial astronomers and mathematicians, and spins on his course, his perihelion point advancing with an accelerating pace that is incomprehensible to those best versed in the laws that hold in place the sun and his family of worlds.

The right ascension of Mercury on the 1st is 19 h. 16 m., his declination is 20° 24′ south, his diameter is 9·6″, and his place is in the constellation Sagittarius.

Mercury sets on the 1st soon after 5 o'clock in the evening; on the 31st he rises a few minutes before 6 o'clock in the morning.

VENUS

is morning star during the month. She is slowly approaching the sun, and her superior conjunction, which does not occur until May. But she is still very beautiful in the morning sky, as any one may see who commands a view of the southeastern heavens, and makes an observation an hour before sunrise.

She contributes an interesting incident to the planetary annals of the month by her conjunction with Mercury on the 24th, when she acts as guide for those who desire a glimpse of the sparkling planet, who, however, will not deign to show his face unless atmospheric and cloud conditions are the very best. Although Venus and Mercury, as we see them at conjunction, are apparently very near each other, they are in reality far apart. Venus is approaching the sun and moving eastward, being, when in conjunction with Mercury, 22° west of the sun. Mercury is receding from the sun, moving westward, and is, when in conjunction, at the same distance from the sun. The former is approaching superior conjunction, the latter is very near western elongation; and yet they seem, as viewed from the earth, to be projected on the sky side by side.

The right ascension of Venus on the 1st is 16 h. 40 m., her declination is 20° 53′ south, her diameter is 12·4″, and she is in the constellation Scorpio.

Venus rises on the 1st at a quarter after 5 o'clock in the morning; on the 31st she rises at 6 o'clock.

JUPITER

is morning star throughout the month. Although thus ranked in astronomical classification, he will be near enough to opposition to be a superb object in the evening sky, being visible nearly the entire night. He now makes his appearance above the eastern horizon at 9 o'clock in the evening in the northeast, and on moonless nights shines forth with exceeding splendor. He remains almost stationary during the whole month, moving a little farther north, and being carried westward for the same reasons that the stars are, that is, by the earth's eastward motion in her orbit. This makes him appear to rise earlier every night, so that, when January closes, he comes looming majestically above the horizon shortly before 7 o'clock. No lover of the stars can help feeling the imposing presence of this leader of the planetary host.

The right ascension of Jupiter on the 1st is 10 h. 31 m., his declination is 10° 23′ north, his diameter is 39·6″, and he is in the constellation Leo.

Jupiter rises on the 1st about 9 o'clock in the evening; on the 31st he rises about 7 o'clock.

URANUS

is morning star. He pursues his slow course without making the least contribution to planetary records. He is leaving the neighborhood of the sun, and consequently drawing near to the earth. He makes slow progress among the stars, for it takes him seven years to pass through a zodiacal constellation.

The right ascension of Uranus on the 1st is 12 h. 12 m., his declination is 0° 28′ south, his diameter is 3·6″, and he is in the constellation Virgo.

Uranus rises on the 1st at half past 11 o'clock in the evening; on the 31st he rises at half past 9 o'clock.

NEPTUNE

is evening star. He pursues his snail-like course just now far away from any of his brother planets. He is thirteen years in passing through a constellation, and therefore it is easy to keep the run of his place in the heavens.

The right ascension of Neptune is 3 h. 15 m., his declination is 16° 14′ north, his diameter is 2·6″, and he may be found near the border line of the constellation Taurus.

Neptune sets on the 1st at half past 3 o'clock in the morning; on the 31st he sets at half past 1 o'clock.

SATURN

is evening star. He is second to Jupiter in brilliancy and size, and moves serenely on his celestial path with nothing noteworthy to record concerning his progress. When Jupiter rises in the early part of the month, Saturn is nearly on the meridian, and when Jupiter has reached the zenith, Saturn is sinking below the western horizon. Nothing new has transpired in regard to this fascinating planet, but we have faith that something worth knowing will be revealed concerning the complex Saturnian system before the 27th of September ushers in the long anticipated Saturnian perihelion.

The right ascension of Saturn on the 1st is 5 h. 13 h., his declination is 21° 34′ north, his diameter is 19·2″, and he is in the constellation Taurus.

Saturn sets on the 1st at a quarter before 6 o'clock in the morning; on the 31st he sets about a quarter before 4 o'clock.

MARS

is evening star. He is very near the sun, and completely hidden in his rays.

The right ascension of Mars on the 1st is 19 h. 30 m., his declination is 22° 51′ south, his diameter is 4·2″, and he may be found in the constellation Sagittarius.

Mars sets on the 1st about half past 3 o'clock in the evening; on the 31st he sets about half past 5 o'clock.

THE MOON.

The first month of the new year holds two full moons in her bountiful hand. The moon fulls on the 1st, 26 minutes after midnight; and also, on the 30th, 19 minutes after 11 o'clock in the morning. On the 4th, the moon is in conjunction with Jupiter, and on the 6th with Uranus. On the 13th she pays her respects to Venus, and on the 14th to Mercury. On the 16th she is at her nearest point to Mars, and as this is the day of her change it shows how near Mars is to the sun. Those who watch the course of the moon will find it easy to keep in mind the relative position of the planets.

On the 24th, the moon is in conjunction with Neptune, and on the 26th, with Saturn. She thus completes her circuit, and, at the same time, gives the order of succession of the planets, drawing near to the morning stars Jupiter, Uranus, Venus, and Mercury, and after her change to new moon swinging her ponderous sphere near the evening stars, Mars, Neptune, and Saturn. There are compensations in things celestial as well as terrestrial. One of these is the full-orbed winter moon as she "runs high" in the heavens, and pours over the ice-bound earth a flood of silvery light that makes the winter nights beautiful as a dream.

A Sure Investment.—Dividend Every Week.

This issue closes the fifty-first volume of the SCIENTIFIC AMERICAN, and with it a considerable number of subscriptions expire.

Notices to this effect have been sent to many thousands of our present subscribers. But the quick response and rapid rate at which the renewals are being made, together with the accession of new subscribers, encourages the publishers to believe that before the middle of January they will have a larger list of old and new subscribers than appears on the subscription books at the present time.

The fact that the public have lost money and confidence in many of our most prominent securities leads them to seek now a better paying investment. This paper, established thirty-eight years ago, provides an opportunity of making an investment, the returns of which are above all price, and provides the subscriber with that which cannot be counted in dollars and cents, namely, knowledge.

The security is unquestionable, and dividend guaranteed every week. The following are the conditions on which everybody can become a stockholder, and the public are cordially invited to examine the quotations herewith appended:

RATES FOR THE SCIENTIFIC AMERICAN PUBLICATIONS.

SCIENTIFIC AMERICAN	1 year,	$3.20
SCIENTIFIC AMERICAN SUPPLEMENT	1 "	5.00
SCIENTIFIC AMERICAN and SUPPLEMENT	1 "	7.00

(Proportionate rates for half year)

The safest way to remit is by check, postal order, express order, or registered letter, made payable to the order of Munn & Co. Address all letters to 361 Broadway, New York.

Opening of the New Orleans Exposition.

On December 16, according to previous announcement, the great World's Industrial and Cotton Centennial Exposition was formally opened, the ceremonies attending the occasion being of a striking character. The attendance was estimated as high as 25,000 people when Major Burke, the Director-General, turned over the buildings and grounds to President Richardson. The latter, in a felicitous address, in the name of the Board of Managers, then presented the Exposition to the President of the United States, the address of presentation being simultaneously telegraphed to the President at Washington. While this was being done at New Orleans, about two hundred officials and distinguished guests, including representatives of foreign powers and committees of the Senate and House, assembled in the East Room of the White House, to be participators, as it were, in the ceremonies going on at the Crescent City, fifteen hundred miles away. The little assemblage in the White House was kept informed by the telegraph of the progress of the exercises at New Orleans: and at 2:45 P. M., when President Richardson's address of presentation was thus received, President Arthur made an appropriate speech in reply—which was likewise simultaneously telegraphed to New Orleans—congratulating the promoters, and officially declaring the exposition open. At the conclusion of his address, President Arthur touched a key at the table before him, ringing a little electric bell near the great engine in the Exposition, which was the signal for the engineer in charge to turn the throttle valve and let on the steam. A cheer followed the tinkle, then the 27 foot fly wheel of the 650 horse power Harris-Corliss engine began to move, with the long lines of shafting; but the big wheel had scarcely made a revolution before four other engines were started, and began to work in unison, and the Exposition was in fact actually under way.

Although the management state there is not in all the buildings 100 feet of space unappropriated, not more than about one-half of the exhibits are really in place. There are some 2,000 car loads of goods not unloaded, as well as many on vessels not arrived from Europe, so that the Exposition will probably not be in complete order till early in January.

IN another column, J. Pierrepont Edwards, Esq., British Consul in this city, announces the last day that inventors have to apply for space for the International Inventors' Exhibition, to be held in London next year.

© 1884 SCIENTIFIC AMERICAN, INC

A NEW SAFETY REGULATOR FOR ELEVATORS.

A new system to prevent the falling of elevator cars from any cause whatever has recently been patented by Mr. Adolphe Gallinant, of 862 Palisade Avenue, West Hoboken, N. J.

The arrangements for raising and lowering the car are similar to those in common use, the hoisting ropes being secured to the cross head of the car, thence passing over pulleys located at the top of the shaft and then down to the hoisting engine. A second or auxiliary rope is secured to the car, passed twice or more times around a drum mounted on a shaft journaled in a frame placed at the top



GALLINANT'S SAFETY REGULATOR FOR ELEVATORS.

of the well, thence over a pulley in the frame and down to a counterbalance weight. This weight is not heavy enough to offset the weight of the car, but is designed to always keep the rope taut, so as to prevent all possibility of its slipping on the drum. Mounted on the same shaft with the drum is a gear wheel that meshes with a pinion on a shaft carrying a second gear wheel; this meshes with a pinion on a shaft carrying the fans. The fans are made of light wood backed with canvas, and are so hinged to a bar, as shown in Figs. 3 and 4, that they will be closed (as indicated by the full lines in Fig. 3) during the ascent of the car, and will be opened (as indicated by the dotted lines) during the descent.

In case the hoisting ropes should break, the fans would be brought into operation to sustain the car, which would descend at a perfectly safe rate of speed; and the auxiliary ropes, having no work to perform except carrying the small counterweight, would not be liable to wear, and could always be relied upon to accomplish this. In general practice the length of the fans—from out to out—should be one-half the width of the shaft, but it will be readily perceived that by changing the number and size of the fans the speed of the car while descending may be perfectly controlled. This device may be easily adapted to any of the elevators or dumb waiters now in use without changing any of the existing parts. Among the many advantages it possesses are its non-liability to get out of order, wear upon the reserve ropes is reduced to a minimum, it is automatic in action, and requires little or no attention.

NOVEL METHOD OF PROPELLING VESSELS.

An invention patented by Mr. L. Charles Thorp, of Port au Prince, Hayti, provides improvements in vessels used on



THORP'S NOVEL METHOD OF PROPELLING VESSELS.

ferries in crossing rivers, whereby they can be propelled across the stream by the action of the current. Fig. 1 is a side elevation of the vessel, Fig. 2 is an end view, and Fig. 3 shows the propeller screw and the device for throwing it in and out of gear. The vessel is guided by cables, stretched across the river below the surface, which pass through forks on the lower ends of vertical rods which are swiveled to the lower ends of screws held on the sides of the vessel, and provided with hand wheels at their upper ends, by means of which the forks can be adjusted higher and lower, according to the tide. In each end of the vessel is a propeller screw mounted upon a horizontal shaft. On the inner end of each shaft is a loosely mounted beveled pinion, which engages with a wheel mounted on a shaft placed at right angles to the screw shaft. On the second shaft is a water wheel or bucket wheel, so arranged that it revolves in a vertical plane at right angles to that in which the screw revolves. Clutch teeth formed on the beveled pinion engage with the teeth of a clutch collar mounted upon the shaft so that it can slide on, but revolve with, the shaft. The clutch collar is shifted by means of a fork, on the pivot of which is mounted a worm wheel which engages with a worm on the lower end of a vertical rod, provided at its upper end with a hand wheel. The current, which, as a rule, flows at right angles to the direction in which the vessel is to move, strikes the water wheel and revolves the propeller, thereby moving the vessel across the stream. As each end of the vessel is provided with this device, one of which will propel it in one direction and the other in the opposite direction, and which act independently of each other, it is apparent that the to and fro motion across the stream can be easily effected by throwing the proper wheels into gear while the others remain idle.

Ammonia for Flowering Plants and Strawberry Plants.

A writer in London *Gardeners' Chronicle* says: Last year I was induced to try an experiment in chrysanthemum growing, and for this purpose purchased one pound of sulphate of ammonia, which I bottled and corked, as the ammonia evaporates very rapidly. I then selected four plants from my collection, putting them by themselves, gave them a teaspoonful of ammonia in a gallon of water twice a week. In a fortnight's time the result was most striking; for though I watered the others with liquid cow manure they looked lean when compared with the ammonia watered plants, whose leaves turned to a very dark green, which they carried to the edge of the pots until the flowers were cut. As a matter of course the flowers were splendid. The ammonia used is rather expensive, as I bought it from a chemist's shop; this year I intend getting agricultural ammonia, which is much cheaper. I have also tried it on strawberries, with the same satisfactory result, the crop being nearly double that of the others; it is very powerful, and requires to be used with caution.

Tempering Thin Mills.

It is a somewhat risky job to harden and temper, without springing, thin lathe saws, or milling tools, made from sheet steel. When sprung, they *may* be straightened, if not too much out, by hammering; but not one machinist in ten knows just how to do it, and no verbal instruction can teach the trick.

But a good workman, who is not afraid to tell his secrets, says that he never fails. His plan is to have two disks of cast iron, preferably of a size small enough to allow the teeth of the saw to project beyond their rims. The inner face of these he scores (in the pattern, of course) into radial and annular scores, so that the engaging faces will present only minute points. These castings are chucked and faced so as to be true, and the saw placed between them and held by a nut and bolt passing through a central hole. Plates and saw are heated together and chilled together in the oil, which, by means of the scores, is allowed to reach nearly the entire surface of the saw. There is no springing of the saw under this treatment.

A CROW HUT.

It is well known that crows, buzzards, ravens, and other similar birds attack all owls, even the largest, in the daytime, as they are well aware that the bright daylight blinds owls to such an extent that it is impossible for them to defend themselves; and for this reason the huntsman uses a chained owl for attracting crows and other birds that he wishes to destroy. The owl is chained on an upright post or rod provided with a crotch or small platform on which the bird can sit. This post or rod is connected with a rope or chain passing over suitable pulleys and extending to a hut, so that by pulling the rope or chain the support or platform on which the owl rests can be moved up and down, thus causing the owl to move about, flap his wings, and create a commotion to attract the other birds. A short distance from this post a low shanty or hut is erected, the side toward the post, on which the owl is chained, being provided with small openings, through which the barrels of the guns can be thrust. The hut should be erected at the base of a large tree, as many birds of prey prefer to take a short rest before attacking their enemy, the owl.

A short time after the owl has been chained, it is surrounded by a flying mob that begins to bother and pester it, the large birds being very bold and audacious in their attacks. The hunter in the shanty or hut can take good aim, and kill a large number of birds in a very short time, for it seems that the killing of some of the birds does not disturb the rest, and those dispatched by the hunter are immediately replaced by others.

The engraving on next page, taken from the *Illustrirte Zeitung*, is a copy of a drawing by the well known painter, Ludwig Beckmann.

WATCH REGULATOR.

The engraving shows a regulator, recently patented by Mr. George I. Tuttle, of Aurora, Ill., that will allow of the finest and most accurate adjustment, and one that can be readily used without risk of injury to the parts of the watch. The regulator arm, *a*, is hung on the balance bridge, *b*, as usual. On the outer end of the arm is fixed a graduated dial, *c*, of circular form, that carries an arbor at its center, and on the arbor beneath the dial is a pinion, *d*, shown in Fig. 2, which is a back face view of the arm. A curved rack, *f*, of suitable length, is attached at one end to the watch plate, A, by a screw, *g*; and a spring, *h*, attached to the plate, bears on



TUTTLE'S WATCH REGULATOR.

the free end of the rack, so as to retain it in mesh with the pinion at all times, while allowing a certain amount of elasticity. The rack plate has a graduated scale on its face for indicating the extent of movement of the arm, *a*, the end of which extending over the rack is pointed.

In order to operate the regulator, the pointer, *e*, is turned by using any simple instrument, and the pinion, turning on the rack, causes the arm, *a*, to travel in either direction as the case may be. The movement of the pointer will be considerable to obtain a slight movement of the regulator arm, so that fine adjustment is possible, and the extent of movement is determined by the scale. The dial, being at a distance from the balance, there is no risk of injuring the spring or wheel.

A Splendid Aerolite Secured.

The *Telegraph* reports that an aerolite fell on the farm of C. Francois, at Chateau Richer, a short distance from Quebec, at 3 A.M., on Saturday, Dec. 13, 1884. It was dug from the ground, in which it had embedded itself, and was found to measure about a foot in diameter. The people were so startled by the intense light that many rushed out of their houses to ascertain its cause. They say that the falling meteor presented the appearance of a huge ball of fire, which lighted up the whole country side almost with the brilliancy of the noonday sun.

BALANCING DEVICE FOR VESSELS.

Two or more hollow standards are erected on the keel of the vessel. On each standard is journaled a shaft provided with a crank handle and carrying a pinion, which engages with a rack passed loosely through a standard. The lower ends of the rack bars are connected by a longitudinal bar, parallel with the keel, and having its top edge adapted to rest in a groove in the keel. To the front end of the bar is pivoted a link, the upper end of which slides on a guide bar secured to the prow of the vessel. A heavy bar is fastened to the connecting bar between the racks. During a storm or very strong wind, when there is danger of the vessel being capsized, the crank handles are turned in such a manner as to cause the pinions to move the racks and connecting bar downward; the bar may be lowered more or less, as required. By moving the bar downward the center of gravity of the



SCHAUM'S BALANCING DEVICE FOR VESSELS.

vessel is lowered, the metacenter is raised, and the stability of the vessel materially increased. Of course the weight of the bar and distance it can be lowered are varied according to the size and shape of the vessel.

This invention has been patented by Mr. Rudolph Schaum, of Tell City, Ind.

© 1884 SCIENTIFIC AMERICAN, INC

THE DECOY OWL.—ORIGINAL DESIGN BY LUDWIG BECKMANN.

© 1884 SCIENTIFIC AMERICAN, INC

THE INTEROCEANIC SHIP RAILWAY.

The transisthmian projects which for many years have attracted the attention of engineers may be divided, perhaps not improperly, into three classes: 1st. Those in which the construction will be at the mercy of floods. 2d. Those lacking good harbors. 3d. Those which empty into the Doldrums or Zone of Calms. Of these three fatal objections, the Panama tide water canal scheme is open to the first and third, and the Nicaragua lifting-lock plan to the second and third. The ship railway project of Mr. James B. Eads, illustrated in this number, is open neither to the one objection nor to the other, and besides being far less costly, it furnishes a quicker means of isthmian transit than either of them, and will shorten by considerably over a thousand miles the contemplated route *via* Panama between our Atlantic States and San Francisco or the East Indies.

Until the arrival in the field of Mr. Eads, it seemed to have occurred to no one that anything but a waterway would serve for ship transit between the two oceans. It did not appear impracticable to some of the transisthmian projectors to build a ship canal in a region annually inundated by mountain streams, or to expect sailing vessels to traverse hundreds of miles of wind-bereft seas. But to take ships across a narrow isthmus by rail was monstrous, and not to be thought of.

It is no part of the purpose of this article to cast discredit upon the rival projects of Panama and Nicaragua, but the promoters of both the one and the other, in very laudable efforts in support of their own theories, have led at least a portion of the unthinking public to look upon the ship railway scheme as impracticable and visionary, and a comparison is necessary to show the relative practicability of the ship railway and the two most prominent canal schemes, and its superior advantages when considered from a commercial standpoint. In making this comparison, however, we shall endeavor to give each its just due, setting down naught in malice.

A careful study of the engravings as presented in this number, and the explanation which accompanies each, will show that while the ship railway is novel and original when taken as a whole, it demands no other methods in the treatment of a ship than those usually employed in the dry dock and the marine railway, and which experience has shown to be safe. Indeed, the only remarkable thing about the scheme is that no one has ever thought of it before.

In the ship railway project a ship is lifted out of the water by means of a submerged pontoon, similar to those in use all over the world; but no such force as that used in hauling a ship up out of the water on a marine railway is required on the ship railway, although, as well known, ships are constantly taken on the marine railway without injury. In the Eads system, however, there is no necessity for using any force whatever on the ship itself.

It is lifted out of the water in a cradle which rests upon a series of rails; and these being brought even with the tracks on the dry land, the cradle in its capacity of a car is wheeled along an almost level railway across the Isthmus of Tehuantepec, and when it reaches the other side a similar means is employed to float it again. This is the whole project—a combination of the lifting dock in general use and an improvement upon the marine railway, because the ship is never, as in the latter, required to be off an even keel.

Looking upon the chart, we find that the Isthmus of Tehuantepec is in Mexico, and in the extreme northern end of the long, slim neck of land which separates North from South America, and that the Isthmus of Panama is on the extreme south end of Central America, and at the farther end of this strip of land. Having discovered this, we naturally turn to a consideration of ocean lanes from the Atlantic and Gulf States to California and the East Indies, and from California to the British Islands, because, in these days of expedition, the shortest route, all else being equal, is sure to prove the most popular. We have not proceeded far in this inquiry when the advantages of the Tehuantepec route in time and distance become plainly apparent.

From New York to San Francisco *via* the Panama Canal, a steamship would be compelled to pass the Isthmus of Tehuantepec, sail south about 1,200 miles, and after crossing sail north again the same distance before reaching the short route to San Francisco. In other words, she would have to traverse about 1,200 miles more than if she had crossed the isthmus at Tehuantepec. From Gulf ports to San Francisco and the East the difference in distance in favor of Tehuantepec is still more marked; the route between New Orleans and San Francisco *via* Tehuantepec being about nineteen hundred (1,900) miles shorter than *via* Panama. From Liverpool to San Francisco there is a saving of 600 miles *via* Tehuantepec. With sailing vessels—and sailing vessels, much as we hear of steamers, carry fully three-quarters of the world's freights to-day, and are likely to continue to carry slow freights—the contrast is still more marked.

A sailing vessel having crossed the Isthmus *via* Panama is left in a very ocean of waters, over which reigns a perennial calm, broken only by occasional squalls and baffling zephyrs. She must be towed hundreds of miles until the region of the trade winds is reached. This, of course, serves to add a large expense to the voyage and to lengthen it many days, so that when we say the voyage between the Atlantic States and California is shorter by 1,200 miles *via* Tehuantepec than it is *via* Panama, we greatly underestimate the advantages of the former route. It would be a generous estimate to allow for only ten days'—good authorities say from 20 to 30 days'—delay between the Pacific side of the Panama Canal and the point where a sailing ship strikes the northeast trades, by reason of calms and the slow progress made while in tow. Allowing that a sailing ship can average 170 statute miles in a day's run, this would add 1,700 miles to the 1,200 miles extra run required *via* Panama, and hence would serve, practically, to make the Tehuantepec route 2,900 miles shorter in the run from New York to San Francisco, and 3,500 miles shorter in the run from New Orleans to San Francisco.

In confirmation of this, indeed, as showing that in the above we have underestimated the time required by sailing vessels *via* Panama to cross the calm zone, we append herewith the testimony of a practical seaman, Captain Silas Bent, as given before the Merchants' Exchange in St. Louis, pending the unanimous adoption by that body of the resolution recommending a favorable consideration of the ship railway to the United States Government:

"Mere statements of the difference in miles is a very inadequate measure," he says, "of the difference in time that would be occupied by sailing vessels in making these several passages; and when we consider that three-fourths of the ocean commerce of the world is carried in sailing vessels, you can see what an important factor this question of *sailing time* becomes in the solution of the problem before us.

"The northeast trade winds which extend across the Atlantic are so broken and interrupted when they encounter the West India Islands that they never penetrate the Caribbean Sea; but the northwest portion of them, however, do extend into the Gulf of Mexico, and often so far down as to reach well toward Tehauntepec, so that while in the Gulf winds are always found, yet the Caribbean Sea remains a region of almost relentless calm.

"Nor is this all, for the mountain ranges, extending the length of the Isthmus of Panama and through Central America, offer a still more formidable barrier to the passage of these winds, thus throwing them still higher into the upper regions of the atmosphere, and extending these calms far out into the Pacific Ocean, on the parallel of Panama, with lessening width, for fifteen or eighteen hundred miles to the northwest, along the coast of Central America.

"This whole region of calms, both in the Caribbean Sea and in the Pacific Ocean, is so well known to navigators that sailing vessels always shun it, if possible, though they may have to run a thousand miles out of their way to do so.

"This absence of wind, of course, leaves this vast area exposed to the unmitigated heat of a torrid sun, except when relieved momentarily by harassing squalls in the dry season and by the deluging rainfalls of the wet season. With these meteorological facts in view, let us now suppose that the Lesseps canal at Panama and the Eads railway at Tehuantepec are both completed and in running order; then let us start two sailing ships, of equal tonnage and equal speed, from the mouth of the Mississippi, with cargo for China, one to go by the way of the Panama Canal, and the other by the way of the Tehuantepec Railway, and I venture to affirm that by the time the Panama vessel has cleared the canal and floats in the waters of the Pacific, the Tehauntepec vessel will have scaled the Isthmus and be well on to the meridian of the Sandwich Islands; and that before the former vessel can worry through the fifteen or more hundred miles of windless ocean before her, to reach the trade winds to the westward of Tehuantepec, the latter will have sped five thousand miles on her way across the Pacific, and be fully thirty days ahead of her adversary. For it is a fact worth mentioning here, that the strength of the northeast trade winds in the Pacific, as well as the maximum strength of the northern portion of the great equatorial current in that ocean, are both found on or near the parallel of latitude of Tehuantepec, the former blowing with an impelling force to the westward of ten or twelve miles an hour, and the latter with a following strength of three or four miles per hour."

It is not to be supposed that Mr. Eads hit upon the plan of his railway before carefully studying the various canal projects; such was not the case. It was, in fact, the result of these canal studies which led him to seek some other means of crossing the narrow strip of land that separates North from South America. For to his practical mind neither the one canal project nor the other of them gave evidence of feasibility, owing to their excessive cost. It was a great problem to solve! Here were a paltry forty or one hundred miles of earth and rock, which, if pierced, would serve to shorten by ten thousand miles the present voyage *via* Cape Horn from New York to San Francisco, which now is 15,687 miles, and to reduce the distance by water between New Orleans and San Francisco from 16,112 miles to something less than 4,000 miles.

It is not surprising that the mind that conceived the jetty system, as applied to the mouth of the Mississippi River, should not be thwarted by the obstacles which confront the transisthmian projector; nor is it surprising to find that the plan that he has hit upon is thoroughly original, or that it is decried by those who do not understand it. Indeed, it would be more surprising if this were not the case; for have not all original schemes been laughed at? The idea, when first proposed, of forcing carbureted hydrogen illuminating gas through the London streets furnished no little amusement to the illuminati; when the project of sending a vessel across the ocean to England propelled by steam was first made public, an eminent scientist was so sure of the impracticability of the scheme that he promised to swallow the vessel on its arrival; when Captain Ericsson proposed to substitute for the direct action of the paddle wheel the oblique action of the screw, he was looked upon as bereft of reason. Yet all succeeded.

"Whatever is attempted without previous certainty of success," says an eminent writer, "may be considered as a project, and among narrow minds may, therefore, expose its author to censure and contempt; and if the liberty of laughing be once indulged, every man will laugh at what he does not understand, every project will be considered as madness, and every great and original design will be regarded as impracticable. Men unaccustomed to reason and researches think every enterprise impracticable which is extended beyond common effects, or comprises many intermediate operations. Many who presume to laugh at projectors or designers would consider the navigation of the air in a flying machine as the dreams of mechanic lunacy, and would hear with equal negligence of the accomplishment of the Northwest Passage and the scheme of Albuquerque, the Viceroy of the Indies, who, in the rage of hostility, had contrived to make Egypt a barren desert by turning the Nile into the Red Sea."

Mr. Eads knew that ships had been going on and off lifting docks without injury from time immemorial, and that vessels that could safely withstand the terrible buffeting of ocean waves could be moved over a smooth roadbed without fear of injury. In order to be sure as to the roadbed, he took with him, to the Isthmus, Mr. E. L. Corthell, an experienced and able engineer, who had successfully carried out his plans at the mouths of the Mississippi, and is an expert in railroad construction, having been chief engineer of the West Shore Railroad. Being a practical man Eads, naturally sought to discover a route that would furnish a substantial roadbed, possess something in the shape of harbors at either end and above all a location outside of that, to the mariner, vexatious belt of perpetual calm. He found a cross section of the Isthmus of Tehuantepec which combined all these qualities; nay, more, for of all the routes across the narrow strip of land joining Mexico with South America, none shortens so much as this the voyage from the Atlantic and Gulf States to California.

Having selected the site for his ship railway, he now sought a concession from the Mexican Government. This was obtained in 1881, and extends over a period of ninety-nine years from its date. It authorizes the construction across the Isthmus of Tehuantepec of a ship railway, an ordinary railway, and a line of telegraph. Besides this it exempts all ships and merchandise *in transitu* from government duty, grants the concessionaire a million acres of public land, and guarantees protection during the construction and subsequent operation of the works. To crown all, the right is given the company to obtain the aid of any foreign government, and in consideration of this assistance the company is authorized by the terms of the concession to discriminate in favor of the commerce of such government against that of all other countries, save, of course, Mexico. The concession obtained, Mr. Eads set about having a careful survey made, topographical and physical, for the several previous surveys were with reference to a canal or an ordinary railway. One of the Eads surveys was made by Mr. Corthell, and another by a party of engineers under the direction of Don Francisco de Garay, an able Mexican engineer, with forty assistants and linemen; he being assigned by the Mexican government to assist Mr. Eads in making the survey. Two lines were run over the mountains, and a careful hydrographic survey was made of the approaches of the termini. A series of additional surveys were recently made from Minatitlan to Bocca Barra and to Salina Cruz.

The length of the whole line will be about 134 miles from Atlantic to Pacific. Beginning on the Atlantic side, the route will start from the Gulf of Mexico, the ships sailing up the Coatzacoalcos River to Minatitlan, a distance of about 25 miles. From Minatitlan there extends for about 35 miles an alluvial plain having an underlying stratum of heavy, tenacious clay. In the elevation and ridges clay loam and sand are found. Next comes an undulating table land, and then irregular mountain spurs of the main Cordilleras, that run through the entire continent, making at this point one of the most marked depressions to be found in its whole length. From this basin the line passes through a valley formed by a small stream to the plains of Tarifa, where is situated the summit of the line. This is 736 feet above low tide. After traversing these plains, the Pass of Tarifa is reached. This is the most accessible of the many passes in this depression in the mountain chain. From here the line gradually sinks to the Pacific, reaching the plains on this side 118 miles distant from Minatitlan.

The pontoon, or floating dock (see Figs. 1 to 4), is of the same general construction as those in use all over the world, save in some important modifications rendered necessary to fit it for its special work. For it is not enough that the vessel should be docked and lifted out of the water, but that it shall be caused to rest upon a cradle in such a manner that its weight shall be equalized fore and aft, and thus enable the carriage with its load to move easily and safely. This is effected by means of a system of hydraulic rams arranged along an intermediate deck about six feet below the upper deck of the pontoon (see Fig. 2). The arrangement of the rams is in both lateral and longitudinal lines, the former standing a little less than seven feet apart, the one from the other. The area of the combined rams in each lateral line is the same; the area of the one ram under the keel forward or aft is equal to the area of the five or seven rams amidships.

© 1884 SCIENTIFIC AMERICAN, INC

They may be connected and made to work in unison, so that the same pressure per square inch of surface of the rams will exist throughout the whole system, or they may be disconnected by valves, so that a greater pressure may be brought upon the rams in a certain section or on a certain line.

It is no part of the duty of these rams to lift the vessel. They are designed only to resist its weight as it gradually emerges from the basin. They get their power from a powerful hydraulic pump placed on a tower affixed to the side of the pontoon, and rising and sinking with it, but of such a height that, even when the pontoon rests upon the bottom of the dock, it is not entirely submerged. The pontoon itself is directed by powerful guides, which cause it to descend and emerge from the water always in the same position.

A ship having entered the mouth of the Coatzacoalcos River, on the Atlantic side, and come up to the basin, the carriage with its cradle is run on to the floating dock, then water is let into the compartments of the pontoon, and dock and cradle gradually sink to the bottom. Then the ship is brought in from the exterior basin, and so adjusted as to position that her keel will be immediately over the continuous keel block of the cradle, and her center of gravity over the center of the carriage. The water is then pumped out of the submerged pontoon in the manner employed in floating dock systems, and it rises gradually, bringing the cradle up under the ship's hull (see Fig. 2). As soon as the keel block of the cradle is close to the ship's keel, the hydraulic pump is called into action, and pushes up the pendent rods and posts of the supports gently against the vessel, closely following the lines of her hull and the run of the bilge. The pressure upon the rams increases as the vessel emerges from the water, but the water pressure under them being prevented from escaping by the closing of the valves, the ship's weight, when she stands clear of the water, is borne by the rams by means of the supports.

In the case of a ship weighing five thousand tons, each of the fifty lines of rams would, of course, be called to sustain a burden of exactly one hundred tons; and these lines being placed at equal distances the one from the other, it will readily be seen that each unit of the ship's weight is equally distributed. The weight and displacement of the vessel is learned from the pressure gauge on the hydraulic pump.

The vessel being clear of the water, hand wheels or adjusting nuts that move in threads cut in the columns of the supports are run down to the bearings in the girder plates, whereupon the valve is opened and the rams withdrawn, leaving the girders to support the weight of the ship. Now each girder has the same number of wheels, and as described above bears its just proportion of weight and no more, hence each of the multitude of wheels under the carriage is called upon to bear the same weight. This weight has been calculated to be only from eight to nine tons, though tested to twenty.

One of the many ingenious contrivances in the scheme is the "hydraulic governor," so called, and by which the unevenness of the plane of the pontoon when it comes to the surface with its load can be readily corrected. This apparatus is thus described:

"Two cylinders are attached to each corner of the dock, one being upright and the other inverted. Plungers attached to the pontoons move in them. These two cylinders are connected by pipes, and all spaces in the cylinders and pipes are filled solid with water. As the pontoon rises, the water forced out of one cylinder by the ascending plunger is forced into the inverted cylinder on the diagonal corner where the plunger is being withdrawn. Now, if there is say one hundred tons preponderance on one end of the pontoon, one-half this weight, or fifty tons pressure, will be exerted by each plunger on that end upon the water in its cylinder. This pressure is instantaneously transmitted through the pipes to the water in the top of the upright cylinder in the opposite diagonal corner, which acts with the same amount of pressure as a water plunger upon the metal plunger to hold it down; thus an equilibrium is maintained, and the pontoon compelled to rise and fall perfectly level. It is possible by aid of a pressure gauge attached to the pipes to ascertain the exact amount of the excess of weight, so that, should this gauge show too great a preponderance, the pontoon must be lowered and the ship placed in a new position."

The pontoon cannot elevate the rails on its deck above what would be a prolongation of the rails ashore, because of the heads of the anchor bolts or guiding rods, and these will also prevent any tipping of the pontoons when the ship-burdened cradle is moving off. The carriage with its cradle which comes up upon the submerged dock, is calculated to hold a ship even more firmly than the launching cradle used at the ship yards, with its shores and stays. This carriage moves upon six rails, three standard gauge tracks each of 4 feet 8½ inches. Ships themselves are girders, and must of a necessity be so, from stem to stern, because in the tempestuous seas in which they are designed to roam, the one part is constantly being called upon to support the other; now her bow projects over a great billow with nothing under to support it, and again she is poised upon a huge wave, leaving the midship section to support in great measure both the bow and the stern, and were she not constructed as a girder fore and aft, her back would be broken in the first big seas she encountered. Comprehending this, the designers of the ship carriage make its strength reach its maximum in the cross girders, which are spaced like the lateral lines of the rams already described; that is to say, seven feet apart, and having sufficient depth and material in their plates to insure an equal deposit of weight upon all the wheels. These latter are double flanged and are placed close together, each being hung independently on its own journals, and having its own axle. Under an ordinary railway car the four or six wheel trucks move together about a central pin. But in the ship carriage, which is not designed to move off from an almost straight line, this is not required, and greater strength is obtained by adhering to the rigid principle; elasticity being had by placing a powerful spring over each wheel. These springs will, as said before, bear a weight of twenty tons and have a vertical movement of about six inches, while the maximum weight they will be called upon to bear will not depress them more than three inches, and allow for crossing irregularities without bringing an undue weight upon the wheels.

There is also a system of supports for the vessel, each having adjustable surfaces hinged to the top of the supports by a toggle joint in such a way that they may be made to closely follow every depression and yield easily to every protuberance or bulging. They pierce the girders of the carriage, and are exactly pendent over the hydraulic rams when the carriage is on the pontoon and rests in its proper position. Thus, as will be seen, the ship when crossing the Isthmus (see frontispiece) rest upon what might be called a cushion, and indeed she will have experienced far rougher treatment, both in the Atlantic and Pacific under only ordinary conditions of weather, than that had while *in transitu* by rail across the Isthmus.

As said before, the road is designed to be almost exactly straight, since there will be no curves having a radius of less than twenty miles, for the carriage is four hundred feet long, and rests upon wheels which, as already explained, are not set on trucks swinging to a common center. There are only five places in the whole line where it is necessary to deviate from a straight line, and at each of these places a floating turntable (see Fig. 5 to 7) will be built. These turntables in design resemble pontoons, for they rest upon water, and will be strong enough to receive the carriage and its burden. The turntable-pontoon will be firmly grounded, when the carriage is run upon it, by the weight of water upon the circular bearers of the basin. The water is pumped out by a powerful centrifugal pump, the water being emitted through an opening in the cylindrical pivot of the pontoon and discharged into the basin. Now, the pontoon has been made sufficiently buoyant to be turned easily upon its pivot by steam power, and the ship carriage is quickly pointed in its new direction. The valves then permit the water to enter once more, and the pontoon turntable again rests on its bearings. These turntables may be made to serve another purpose. By their means a ship can be run off on a siding, so to speak, where she can be scraped, painted, coppered, calked, or otherwise repaired without removal from her cradle, and thus be saved the heavy expense of going on a dry dock.

The locomotives for hauling the ship-carriage over the Isthmian railway will not differ from those in ordinary use. The big freight engines of the day have no difficulty, as we know, in drawing freight trains of a total of two thousand tons; and as the ship carriage moves along three tracks it would be easy, if such a course were necessary, to place three locomotives in front of it and three behind. The time estimated for crossing from ocean to ocean is only sixteen hours.

Having now been over the ground of the ship railway and examined its several engineering features, let us turn to consider from the same practical standpoint the plans on which it is proposed to construct the rival projects at Panama and Nicaragua.

We have seen that, in the proposed Interoceanic Ship Railway, no really new or startling engineering problems present themselves. Is this the case with the canal projects? Let us see. At the International Canal Congress in Paris, in May, 1879, the Panama plan was rushed through despite the protests of the American and English delegates, who insisted that it was altogether impracticable. A simple reconnaissance had been made by Lieut. Lucien Wyse, and this was given precedence by the French over the many and careful surveys which have from time to time been made by skillful American engineers and by engineering expeditions from other countries.

It was evident from the start that the French had made several serious miscalculations. They had not given sufficient weight to the deadliness of the climate in that part of the Isthmus and the extent of the floods—two factors, as we shall see, which, if they do not finally prove an effective barrier to the progress of the work, are sure to greatly retard it and render its construction so costly as to make it, at the best, but a sorry venture from a financial standpoint. When nearly two-thirds of the whole appropriation for the canal was expended, and about one-thirtieth of the work performed, a startling discovery was made. The course of a great river, the Chagres, must be turned, and some means found of diverting the mountain streams, before active work on the canal proper could be resumed. Now, the Chagres River, so say expert engineers who have been on the ground, will require an immense expenditure of money—$20,000,000 at the least—to dam it at Gamboa, and a dam 150 feet high; also a lateral channel to divert these impounded waters *thirteen miles in length and as large as the main canal*, for there will be twenty million cubic meters in it.

Some idea of the destructive powers of this Chagres River may be had from the fact that, in 1879, during an unusual freshet, it flooded its entire valley for thirty miles; there being eighteen feet of water on the line of the Panama Railroad. The lateral canals for carrying off the water are likely to prove dangerous as well as expensive. As to these Colonel John G. Stevens, of New Jersey, one of the most eminent and experienced canal engineers in the country, and who visited Panama some two years since for New York capitalists, says: "Being situate in a depression of the Cordilleras, and flanked on each side by lofty mountain ranges, with steep sides, all water drains rapidly into the valley. Then again the rainfall of the tropics is excessive, and with us would be called phenomenal; at times being six inches in twenty-four hours for days in succession. The river consequently rises rapidly, and the greater part of the valley is submerged. . . . I think I can say that but one efficient plan can be formed, and that is to construct drainage canals on each side of the valley, so as to intercept the water that will drain from the mountain ranges on each side. Now, in severe floods the surface waters of these canals will be about seventy feet above that of the canal proper; consequently heavy guard banks will require to be constructed to restrain these intercepted floods. In other words, *the water will have to be hung up on the sides of the mountains.* Of course, with such a pressure, there will always be a great risk of the water breaking through the banks and the canal so filled by sediment as to stop navigation until it is removed. This would necessarily be a work of time, and destroy the prestige of the canal as an avenue of transport. . . . I do not remember ever to have seen money expended and such slight results effected; but I wish to add that this was evidently not due to the gentlemen in immediate charge, who were capable and zealous."

From evidence furnished by other expert engineers who have visited this region, it may be safely predicted that the wash from the slopes (clayey) in the profuse rainfall of this tropical region will tend to fill up the canal and entail a large expense in removing material.

The original estimate of the quantities of material to be removed has, of course, been greatly increased by the proposed Chagres River dam and the diverting channel back of it. Prices for labor, since the deadliness of the climate has come to be realized, have advanced to double and even thrice their original figures, and labor which at first was had for 30 cents advanced last year to 90 cents; 10,000,000 cubic yards, mostly soft dredging in the terminal marshes, has been done in four years. But even suppose they can do 6,000,000 cubic yards of dredging and rock excavation per year—and this is surely a generous estimate—then $\frac{198}{6}=33$ years to complete the canal. The original estimate was from $120,000,000 to $170,000,000, but with the obstacles now in view, and considering that the rock work has hardly been touched, $200,000,000 would seem to be a not unreasonable figure which the work will have cost when performed.

Let us now turn to the Nicaragua scheme. This project is for a lifting-lock canal—from 17 to 20 large locks being required. The time necessary to cross from ocean to ocean would probably be about three days. The location is 800 miles farther south than Tehuantepec, and consequently far south of the shortest route to California and the far East. It is situated also in the calm zone and in a country frequently visited by earthquakes, and hence liable at all times to serious injury.

The harbor of Greytown (north side) is irretrievably ruined, and Major McFarland estimates that it will cost $14,000,000 to make a good harbor of it. The harbor of Brito, as it is called, at the point where the Rio Grande enters the Pacific, is in fact only a small angular indentation of the land, partially protected by a low ledge of rocks, entirely inadequate for the terminus of a transisthmian canal and incapable of answering the commonest requirements of a port.

No reliable estimate of the expense of the Nicaragua canal has fallen short of $92,000,000; the Government Commission estimated $100,000,000, and Major McFarland $140,000,000. Capt. Bedford Pim, M.P., who is but recently returned from Nicaragua, estimates $200,000,000. The complication with England, too, makes the Nicaragua route to a great extent objectionable. By the Clayton-Bulwer treaty, made with England in 1850, we pledged ourselves to exercise with her only a joint control over any canal that should be built at this point, then looked upon as a favorable position for a canal because at that time there was a good harbor at Greytown. (The natural breakwater was destroyed by the sea in 1859, and the harbor filled up and ruined.) Only two years ago, as we know, England reasserted her claims, and insisted that the terms of the treaty should be complied with. In the recent concession made by Nicaragua, the government of the latter country makes the modest demand for *one-half the tolls collected*, should the canal be built.

The cost of the ship railway as computed by expert engineers will be about sixty million dollars ($60,000,000), or $75,000,000 at the outside.

A careful estimate has shown that it would not be unreasonable to look for a gross tonnage of 5,000,000 tons in 1888 for any passage across the Isthmus. Four dollars the ton would be but a moderate charge—the Panama Railroad demands $15 a ton. This would give $20,000,000 as gross receipts. Now, it has been estimated that 50 per cent of this would pay all working expenses, thus leaving $10,000,000 as net profit, or 10 per cent on a capitalization of $100,000,000

The Tehuantepec ship canal is a private enterprise that does not ask a dollar from the government, and there will

© 1884 SCIENTIFIC AMERICAN, INC



Fig. 2.—THE INTEROCEANIC SHIP CANAL.—SECTIONAL ELEVATION OF PONTOON AND RAILWAY CRADLE.

be little trouble in its construction if the government does not by legislation or by committing itself to the Nicaragua canal scheme injure its prospects and defeat its aim, which is to furnish a cheap, rapid, and safe passage for ships across that narrow strip of land which heretofore has proved an effectual barrier to aspiring canal builders. The promise of an original undertaking may be said to be directly as its author has succeeded or failed in previous enterprises, and hence it is but natural that the reader should like to know something about Mr. James B. Eads.

Ten years ago the bars at the mouths of the Mississippi below New Orleans had approached so near the surface that it looked as though the great city of New Orleans would be open in the near future to nothing larger than sloop navigation. A gradual shoaling had been going on for years, and various devices were suggested for deepening the channel, but none of them seemed to offer any hope of success. At last two bills were introduced into Congress relating to this subject.

One of these came from the headquarters of the Engineer Corps of the army, and advocated the construction of the Fort St. Philip Canal, leading from the river to the adjacent bay, about forty miles above the mouth of the river. The second bill was presented in behalf of Mr. Jas. B. Eads, and contained a proposition for improving the mouth of the river by means of jetties. This proposition met with strong opposition, and army and civil engineers vied with each other in demonstrating its wanton absurdity. Mr. E. L Corthell's paper on "The South Pass Jetties," read before the American Society of Civil Engineers, says:

"The propositions enunciated by the Board of Army Engineers and by the Chief of Engineers, on which they based their published prophecies of failure, were:

"*First.*—That the jetties would be undermined at the sea ends.

"*Second.*—That the foundation on which they would rest was unstable. And

"*Third.*—That there would be a greatly accelerated advance of the bar after the jetties were constructed.



Fig. 3.—THE INTEROCEANIC SHIP RAILWAY.—THE LIFTING PONTOON AND RAILWAY CRADLE.

© 1884 SCIENTIFIC AMERICAN, INC

"Three positive opinions were given in official reports by three prominent United States engineers—one the then Chief of Engineers, another the present Chief of Engineers, and the third the officer in charge of the improvement of the Gulf ports—in reference to the rapid and accelerated growth seaward of the bar in consequence of jetties, which would produce a depth of from 25 to 27 feet, if such could be constructed. These gentlemen respectively gave as the annual rate of advance, after the construction of jetties at the mouth of the South Pass, 670 feet, 2,240 feet, and (in the language of the third) 'jetties will have to be built further and further out, not annually, but steadily every day of each year, to keep pace with the advance of the river deposit into the Gulf, provided they are attempted.'"

Of this ponderous opinion Mr. Corthell remarks, with something very like sarcasm:

"The necessary extension of the jetties into the Gulf with these rates of bar advance would have been up to this date respectively three-quarters of a mile (to where there is now actually 160 feet depth of water), two and one-half miles, and well out toward Cuba."

Mr. Eads finally succeeded in convincing Congress that there was at least something in his scheme, and he was given the contract, with the proviso that he should not be paid until he had secured the depths and widths of channel specified in the contract.

When he undertook the work, the depths in the crests of the bars in the Gulf, outside of the land, were 13 feet at the Southwest Pass, 11 feet at the Pass a Loutre, and 8 feet at the South Pass, all measured at mean low water. From the very inception of his jetty system it was a remarkable success; the South Pass deepened more and more by the scour of the river, until upon its shoalest spot he had 30 feet of water—a depth it maintains to this day, when the Great Eastern, the largest ship in the world, is able to cross the spot where, ten years ago, there was only 9 feet of water.





Figs. 5 & 6.—ILLUSTRATIONS OF THE TURNTABLE.

The fame of Mr. Eads, and his new interpretation of the Old World's jetty system, soon became an absorbing topic among hydrographers and engineers far and near. The Prince of Wales himself presented him with the Albert medal. This medal is inscribed:

"Captain James Buchanan Eads, the distinguished American engineer, whose works have been of such great service in improving the water communications of North America, and have thereby rendered valuable aid to the commerce of the Old World."

It is the same man who has projected the ship railway across the Isthmus of Tehuantepec, and if his plans are not thwarted by unwarranted government interference, there is reason to believe that ere yet the graceful masts and trailing yards of majestic ships will be seen to mingle with tropic palms in the mountain fastnesses of the Cordilleras.

In our illustrations, Fig. 1 shows an elevation of the adjusting of the screw standard for supporting the vessel on the pontoon, the detail of these standards being given in Fig. 4. A is the standard, having a head plate with universal joint, its top cushioned with rubber or canvas, to prevent damage to the ship; B is an adjusting nut, which, when the rams are down, stops the descent of the jack by contact with the top side of the main girder, C, on which they will rest, D being the top of the hydraulic jack of the pontoon, the number of these jacks used being better shown in Fig. 3, a section of the floating pontoon. E F G, in Fig. 2, show the sectional girders by which the weight of the vessel is distributed on the jacks. H shows one of the upper pontoon sections. J shows arrangement in connection with the pump on pumping tower, L, to distribute the load of the vessel equally on all the jacks. I and K show the arrangement by which the water is exhausted from the pontoon. On each side of the basin there are several rods on top of which are nuts capable of holding the pontoon, to prevent its rising above the level of the railway when the ship and cradle have been taken off. Figs. 5 and 6 show a plan and sectional view of the floating turntable, and Fig. 7 a perspective view, with a ship on the turntable.

THE castor bean plant, says the Los Angles (Cal.) *Herald*, has been found very efficacious in killing grasshoppers by the million, and is also useful for killing flies.



Fig. 7.—THE INTEROCEANIC SHIP RAILWAY.—THE FLOATING TURNTABLE.

© 1884 SCIENTIFIC AMERICAN, INC

ENGINEERING INVENTIONS.

A car coupling has been patented by Mr. William Stamp, of Susquehanna Depot, Pa. This invention covers a novel construction and arrangement of parts to facilitate the coupling and uncoupling of cars in making up and breaking trains, and the device can be worked at the side of the train as the cars pass the train men, thus promoting safety and convenience.

A spark arrester has been patented by Mr. James R. Werth, of Richmond, Va. This invention covers several novel features, a greater area of netting surface being obtained, and the plane in which the netting lies being parallel with the line of the blast, while no attempt is made to separate the smoke from the sparks until after the mingling of the same with the exhaust steam.

A method of casting car wheels has been patented by Mr. William Wilmington, of Toledo, O. This invention relates to a former patented improvement of the same inventor, and by it the chill hardening properties of molten cast iron are modified in various degrees by a method of imparting rich ferro-manganese to the molten iron immediately before or at the time the iron is entering the mould, so the iron composing the brackets and flange of the wheel is somewhat modified without materially affecting the iron of the tread.

MECHANICAL INVENTIONS.

A screw cutting machine has been patented by Mr. Edward H. Freter, of Roedelheim, near Frankfort-on-the-Main, Germany. It has a hollow head stock spindle, pawl, chuck, sliding rests, die spindle, cog wheels, with various novel features of construction and arrangement for operating a chuck gripping mechanism, feeding the wire, and other details of a complete screw cutting machine.

MISCELLANEOUS INVENTIONS.

A fire escape has been patented by Mr. William Craddock, of New York city. It is constructed with a carriage moving up and down on guide ropes attached at their upper ends to bars fixed to the building, and at their lower ends to a bar or plate fixed in a vault beneath the sidewalk.

A check rein clip has been patented by Mr. Frederick J. Smith, of Brooklyn, N. Y. This invention covers a special construction and arrangement of parts whereby the horse may be both checked and unchecked without the necessity of leaving the vehicle and without stopping the motion of the horse.

A peanut roaster has been patented by Mr. Louis Rosenkranz, of Rhinebeck, N. Y. It combines a heater, roasting drum, and warming box in which the peanuts are placed after being roasted, all contrived to secure an efficient distribution of heat and economical working.

A wrench has been patented by Mr. Joseph Lussier, of Minneapolis, Minn. This invention relates to wrenches having rocking or adjustable heads, and is especially designed for use in corners and other hardly accessible places, where it is inconvenient or impossible to use an ordinary wrench.

A scaffold clamp has been patented by Mr. Arthur B. Flach, of New York city. It consists of a U-shaped bar having hooks on its free ends and pegs or studs on the inner surface of its cross piece, making an improved clamp for uniting and holding together the posts and beams used in erecting scaffolding.

A life preserver has been patented by Mr. Zenane N. De Ledochowski, of La Salle, Ill. It is formed of a buoyant ring, with a bag for receiving the body, the ring having also a float with inflatable pockets, while on the top of the float are attached slabs of cork, and pockets are formed for receiving different articles.

A seal padlock has been patented by Mr. David B. Reeve, of New York city. It has in its top a slot, through which a ticket or card can be passed into the casing, the card covering an opening in front of the casing, so if the shackle is to be released the card must be cut or destroyed to permit pushing to one side the locking hook in the lock.

A staple setting instrument has been patented by Mr. Henry Rose, of Fayette, Mo. It resembles generally a pair of tongs or pliers, with two crossing links pivoted together, the rear portions of which form handles, and the forward portions making jaws, constituting a setting implement for metallic staples for closing seams in boots and shoes, clothing, etc.

An improved kind of plated ware has been patented by Mr. William A. Warner, of Syracuse, N. Y. The improvement is more especially designed for articles such as spoons, forks, etc., and covers a novel means of plating, whereby the portions most exposed shall receive a heavier plate without making apparent any extra ridge or film of metal at such places.

A saddle girth has been patented by Mr. Peter J. Pefley, of Boise City, Idaho Ter. It combines two bands or strap pieces with a transverse brace bar held at the ends in the centers of the bands by straps, so the bands can be held at a greater or less distance from each other, and the girths can be adjusted to be wider or narrower as desired.

A stove truck has been patented by Mr. John G. Arnold, of Wellsville, N. Y. Combined with a frame having casters is an additional frame connected with and held above the first by pivoted links, thus adapting the upper frame to swing upward and forward, and making a truck to facilitate the lifting and moving of stoves.

A back band has been patented by Mr. James B. McHugh, of Ambrosia, La. It is for draught animals, and made of a web of woven material with attached end skirts of leather, with buckles and straps, securing greater comfort for the horse, and so the connection of the band with the trace chains may be easily changed, while the band may be readily lengthened or shortened.

A see saw has been patented by Mr. Jesse M. Harr, of Baltimore, Md. It is so constructed that the seats may be kept horizontal, and the device is easily operated by very young children, a slight pressure on the treadles working it when the occupants are of equal weight, while, when the occupants are of unequal weight, they may be readily balanced by adjustable weights.

A brick machine has been patented by Mr. Charles A. Tarragon, of Portland, Oregon. It is made with a vertical shaft placed in a vertical hollow cylinder, and having radial arms carrying teeth to break up the clay, and plates to force the clay through a grate secured in the cylinder, whereby the clay will be crushed as it passes down into the machine, with other novel features.

A compound harness for Jacquard looms has been patented by Messrs. Holden Rigby and David Lindsay, of Paterson, N. J. This invention, with several other novel features, covers the use of rubber washers, whereby the shafts connected to the hooks are kept from wearing the knots, the construction and combination of parts being especially adapted to promote durability.

An adding machine has been patented by Mr. Martin O. Dolson, of Eldorado, Kansas. This invention covers a novel construction and combination of parts for rapidly and accurately adding columns of figures by moving a little crank handle which moves hands over dials, one representing the units up to one hundred, another to a thousand, the third to ten thousand, etc.

A nut lock has been patented by Mr. Erastus J. Clark, of Urbana, Ill. This invention covers two forms of nut lock, one of which is intended primarily for railway rails, while the other is for general use, in the former one the key being adapted to take a bearing on the flange of the rail instead of throwing a strain upon the washer, while the key is also adapted to act by gravity.

A calcimine composition and method of preparing the same has been patented by Mr. George A. Marsh, Jr., of Sandusky, Ohio. It consists of glue, gum tragacanth, water, and ground plaster, prepared and mixed in a special way, so that when ground and ready for use it will not harden in the pail, may be mixed with cold water, and will spread smoothly and easily and be free from cracking.

An auger handle has been patented by Mr. Henry Sager, of Girardville, Pa. It is a simple and substantial handle, from which the auger will not slip when pulling chips out of the hole, although it may be readily detached for changing the augers, and it is so constructed that one arm may be detached and the other used in the manner of a wrench for turning the auger in a close corner.

A sash balance has been patented by Mr. Jonathan D. Price, of Cherokee, Iowa. It consists of a frame or plate with a small projecting cog wheel working against a loose, block shaped detent which bears on one side against one spring and on the other side against another, which locks the cog wheel strongly enough to hold the sash through a rack or toothed bar attached to the frame.

A lock has been patented by Messrs. Rudolf E. Woodrich, of New York, and Charles Langbein, of Brooklyn, N. Y. This invention covers an improvement on a former patented invention of the same inventors, and provides a lock which can be fixed and held in place without the use of screws, and can be adjusted at different lengths, and in such manner, if desired, that it cannot be unlocked from the outside.

A pea and bean sheller has been patented by Mr. Ellis R. Young, of Thomasville, Ga. This invention relates to rotary mills, in which circles of long teeth on one plane are opposed by circles of short teeth on the other plane, the teeth alternating with each other on each plane, and tending to catch hold of the shells with more certainty than if the points were in a single plane, while the opposing teeth are not near enough together to damage the fruit.

A hoisting gear has been patented by Mr. William W. Wythe, of Ocean Grove, N. J. This invention relates to an improvement on a former patented invention of the same inventor, and consists in the combination with a yoke of a gear wheel and a grooved pulley united or made integral and journaled in the yoke, and a gear wheel and friction pulley united and journaled in the lower end of the yoke, the gear wheels engaging and the friction pulley pressing the hoisting rope in the grooved pulley.

Business and Personal.

The Charge for Insertion under this head is One Dollar a line for each insertion; about eight words to a line. Advertisements must be received at publication office as early as Thursday morning to appear in next issue.

Whistles, Injectors, Damper Regulators; guaranteed. Special C. O. D. prices. A. G. Brooks, 261 N. 3d St., Phila.

We consider the Remington Type-writer an efficient aid in our correspondence, and its absence from the office for a single day would prove a serious drawback to the proper execution of the same.
WINCHESTER REPEATING ARMS CO.,
New Haven, Conn.

The Remington Type-writer is the one used by the United States Government. Wyckoff, Seamans & Benedict, 281 and 283 Broadway, New York city, sole agents.

For Sale.—One heavy Driving Wheel Quartering Machine, with all its attachments. Address Baldwin Locomotive Works, Philadelphia, Pa.

Young Men! Read This!

The VOLTAIC BELT CO., of Marshall, Mich., offer to send their celebrated ELECTRO-VOLTAIC BELT and other ELECTRIC APPLIANCES on trial for thirty days, to men (young or old) afflicted with nervous debility, loss of vitality and manhood, and all kindred troubles. Also for rheumatism, neuralgia, paralysis, and many other diseases. Complete restoration to health, vigor, and manhood guaranteed. No risk is incurred, as thirty days' trial is allowed. Write them at once for illustrated pamphlet free.

Agents with $2 capital wanted. Brown, Elliott & Spears, Silver Creek, N. Y.

Inventor desires to correspond with manufacturers for introduction of sheet metal Tubular Steam Radiators, or will sell patents. Efficient, strong, cheap, light. John Gormly, Provo, Utah.

The Cartridge Whistle, advertised in this issue by J. A. Ross & Co., is considered by all users to be fully worth the price asked.

Second-hand machinery and tools for machine and blacksmith shops wanted. Address Thos. R. Sharp, No. 1 Broadway, New York.

Signs.—How to prevent boards from splitting, bulging, and opening at the joints, free. Address J. G. Jory, Baltimore, Md.

Cheap, cheap, cheap. Best Popular Science Works. J. Fitzgerald, 20 Lafayette Place, N. Y. Catalogue free.

Experimental Machinery Perfected, models, patterns, etc. Tolhurst Machine Works, Troy, N. Y.

Brush Electric Arc Lights and Storage Batteries. Twenty thousand Arc Lights already sold. Our largest machine gives 65 Arc Lights with 45 horse power. Our Storage Battery is the only practical one in the market. Brush Electric Co., Cleveland, O.

The Cyclone Steam Flue Cleaner on 30 days' trial to reliable parties. Crescent Mfg. Co., Cleveland, O.

For Steam and Power Pumping Machinery of Single and Duplex Pattern, embracing boiler feed, fire and low pressure pumps, independent condensing outfits, vacuum, hydraulic, artesian, and deep well pumps, air compressors, address Geo. F. Blake Mfg. Co., 44 Washington St., Boston; 97 Liberty St., N. Y. Send for Catalogue.

Quinn's device for stopping leaks in boiler tubes. Address S. M. Co., South Newmarket, N. H.

Mills, Engines, and Boilers for all purposes and of every description. Send for circulars. Newell Universal Mill Co., 10 Barclay Street, N. Y.

Walrus and Sea Lion Leather for polishing all kinds of metal. Greene, Tweed & Co., New York.

Wanted.—Patented articles or machinery to manufacture and introduce. Lexington Mfg. Co., Lexington, Ky.

"How to Keep Boilers Clean." Book sent *free* by James F. Hotchkiss, 86 John St., New York.

Stationary, Marine, Portable, and Locomotive Boilers a specialty. Lake Erie Boiler Works, Buffalo, N. Y.

Presses & Dies. Ferracute Mach. Co., Bridgeton, N. J.

For Power & Economy, Alcott's Turbine, Mt. Holly, N. J.

The Hyatt filters and methods guaranteed to render all kinds of turbid water pure and sparkling, at economical cost. The Newark Filtering Co., Newark, N. J.

Steam Boilers, Rotary Bleachers, Wrought Iron Turn Tables, Plate Iron Work. Tippett & Wood, Easton, Pa.

Send for Monthly Machinery List
to the George Place Machinery Company,
121 Chambers and 103 Reade Streets, New York.

Iron Planer, Lathe, Drill, and other machine tools of modern design. New Haven Mfg. Co., New Haven, Conn.

If an invention has not been patented in the United States for more than one year, it may still be patented in Canada. Cost for Canadian patent, $40. Various other foreign patents may also be obtained. For instructions address Munn & Co., SCIENTIFIC AMERICAN Patent agency, 361 Broadway, New York.

Guild & Garrison's Steam Pump Works, Brooklyn, N. Y. Steam Pumping Machinery of every description. Send for catalogue.

Nickel Plating.—Sole manufacturers cast nickel anodes, pure nickel salts, polishing compositions, etc. Complete outfit for plating, etc. Hanson & Van Winkle, Newark, N. J., and 92 and 94 Liberty St., New York.

Supplement Catalogue.—Persons in pursuit of information on any special engineering, mechanical, or scientific subject, can have catalogue of contents of the SCIENTIFIC AMERICAN SUPPLEMENT sent to them free. The SUPPLEMENT contains lengthy articles embracing the whole range of engineering, mechanics, and physical science. Address Munn & Co., Publishers, New York.

Machinery for Light Manufacturing, on hand and built to order. E. E. Garvin & Co., 139 Center St., N. Y.

Curtis Pressure Regulator and Steam Trap. See p. 390

Woodwork'g Mach'y. Rollstone Mach. Co. Adv., p. 390.

Drop Forgings. Billings & Spencer Co., Hartford, Conn.

Practical Instruction in Steam Engineering, and situations furnished. Send for pamphlets. National Institute, 70 and 72 West 23d St., N. Y.

We are sole manufacturers of the Fibrous Asbestos Removable Pipe and Boiler Coverings. We make pure asbestos goods of all kinds. The Chalmers-Spence Co., 419 East 8th Street, New York.

Clark's Rubber Wheels. See adv. next issue.

Steam Hammers, Improved Hydraulic Jacks, and Tube Expanders. R. Dudgeon, 24 Columbia St., New York.

Emerson's 1884 Book of Saws. New matter. 75,000. Free. Emerson, Smith & Co., Limited, Beaver Falls, Pa.

Hoisting Engines. Friction Clutch Pulleys, Cut-off Couplings. D. Frisbie & Co., Philadelphia, Pa.

Barrel, Keg, Hogshead, Stave Mach'y. See adv. p. 422.

Munson's Improved Portable Mills, Utica, N. Y.

Machine for grooving chilled rolls for flour mills. Pratt & Whitney Co., Hartford, Conn.

Linen Safety Hose, all sizes, at greatly reduced prices. Greene, Tweed & Co., New York.

Mineral Lands Prospected, Artesian Wells Bored, by Pa. Diamond Drill Co. Box 423, Pottsville, Pa. See p. 422.

For best low price Planer and Matcher, and latest improved Sash, Door, and Blind Machinery, Send for catalogue to Rowley & Hermance, Williamsport, Pa.

Catalogue of Books, 128 pages, for Engineers and Electricians, sent free. E. & F. N. Spon, 35 Murray Street, N. Y.

A Present to Every Lady!

A 25 cent book on Art Needle Work and Crazy Patchwork, with 100 new stitches and transferable designs and full instructions for the work, will be given to every new subscriber to Strawbridge & Clothier's Fashion Quarterly. This offer only holds good to February 1, 1885.

The Fashion Magazine contains 120 large pages, with over 1,000 illustrations each issue, and is the cheapest magazine in the world. Cut out this notice and mail with 50 cents, the price of a year's subscription, to
STRAWBRIDGE & CLOTHIER,
Eighth and Market Sts., Phila.

The Porter-Allen High Speed Steam Engine. Southwark Foundry & Mach. Co., 430 Washington Ave., Phil. Pa.

Split Pulleys at low prices, and of same strength and appearance as Whole Pulleys. Yocom & Son's Shafting Works. Drinker St., Philadelphia, Pa.

Notes & Queries

HINTS TO CORRESPONDENTS.

Name and Address must accompany all letters, or no attention will be paid thereto. This is for our information, and not for publication.
References to former articles or answers should give date of paper and page or number of question.
Inquiries not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and, though we endeavor to reply to all, either by letter or in this department, each must take his turn.
Special Information requests on matters of personal rather than general interest, and requests for **Prompt Answers by Letter**, should be accompanied with remittance of $1 to $5, according to the subject, as we cannot be expected to perform such service without remuneration.
Scientific American Supplements referred to may be had at the office. Price 10 cents each.
Minerals sent for examination should be distinctly marked or labeled.

(1) F. N.—Plante's secondary battery is put through a long course of preparation before it is ready for use. The preparation consists in submitting the plates to an electric current, at first changing the poles at stated times, and finally finishing up for a longer period with the current passing in one direction. The more recent secondary batteries are constructed with lead plates to which is applied minium—red oxide of lead. These plates need no special preparation.

(2) L. A. asks: The strength of alcoholic liquids is quoted differently in various countries of consumption, viz.: In degrees of Sykes', Dycas', Baume's, and Cartier's hydrometer; in bubbles, whatever that may mean; in centigrades of Gay-Lussac; in per cents absolute alcohol, etc. Can you give me the exact equivalent of 40 over proof in either of the above determinations or denominations, or else name a book containing complete tables of comparison? A. Proof spirit, according to the United States national tax law of 1862, is that proof of a liquor which corresponds to 50 degrees of Tralles hydrometer at the temperature of 60° F. Proof spirit therefore is of the alcoholic strength of 50 per cent by volume, having a specific gravity of 0·9335, or a mixture of equal quantities of absolute alcohol at the specific gravity of 0·793 and distilled water at 60° Fah. In other words, proof spirit is one-half pure water and half absolute alcohol. Proof on the Gendar scale is equal to 50 on the Tralles scale, so that 40 over proof on the Gendar scale would be equal to 70 on the Tralles scale, and equal to 0·8892 specific gravity, equal to between 28° and 27° Baume—liquids lighter than water. In Dick's Cyclopædia of Practical Receipts you will find as much information as anywhere. The other book you ask for can be furnished by New York dealers.

(3) W. H. A. writes: Will you please inform me what kind of glue is used for making guitars, and why pine is always used for the sounding board? Is there a better wood for the purpose? If so, what is it? What is used for filling hard wood for instruments, also the best varnish for finishing? Is there a treatise published on the manufacture of the guitar? A. For glue use a good quality of the ordinary article. It has been found that pine has the greatest vioratory power and has the straightest grain. No better wood is known. There are various filling compositions, consisting of equal parts by weight of whiting, plaster of Paris, pumice stone, and litharge, to which may be added in suitable proportions to match color a little French yellow asphaltum, Vandyke brown. Mix with 1 part japan, 2 ounces boiled oil, and 4 ounces turpentine. Grind fine in a mill. There is no special book on the subject as far as we know, but Moore's Universal Assistant and Complete Mechanic contains a great number of receipts that would be useful.

(4) E. W. M. writes: Within the past month, and at least three weeks constant, when disrobing at night preparatory to retiring, in taking off the pantaloons at least a dozen sparks or flashes of light, like a phosphorescent gleam, make their appearance on each leg. During the time these flashes make their appearance, there is a sort of hissing or cracking noise. A. The phenomenon described by you is common in houses in which the atmosphere is very dry, and in articles of clothing not liable to absorb moisture. You have probably discovered that it occurs only on what might be called good electrical days, that is, in dry, cool weather.

(5) J. A. D. writes: About a year ago I built a fence, using three 8 by 8 inch posts, which were supposed to have been seasoned. I primed them with ready mixed white paint, and afterward gave them two coats of white lead (Atlantic) and linseed oil; in a few weeks the paint blistered and cracked off. I sandpapered them and gave them another coat, but the same thing happened again. It has fallen off four times. Can you tell me the cause, and what will stop it? A. Probably the ground is wet, and the posts absorb water. The sun heating the paint may vaporize the water under it sufficiently for blistering. Try covering the parts of the posts underground with tar.

(6) C. M. G. asks how glass may be successfully coated with mercury or quicksilver so as to make a mirror. A. The usual method of coating glass with the amalgam of tin and mercury is to spread a sheet of tin foil evenly upon a flat stone table, and cover it uniformly to the depth of an eighth of an inch with clean mercury. A plate of glass perfectly clean is floated on the mercury carefully, so as to exclude all air bubbles. It is then pressed down by loading it with weights sufficient to press out all of the mercury which remains fluid. The glass is allowed to remain in this condition for about twenty-four hours, when it is

© 1884 SCIENTIFIC AMERICAN, INC

raised carefully upon its edge, and allowed to remain for some days in that position. To silver convex and concave mirrors with amalgam requires a mould, usually made of plaster of Paris.

(7) O. S. writes: 1. Is it to be taken for granted that a wooden house on clayey loam is damp, even if location be well drained? A. A house on clayey loam is not necessarily damp because of its situation. Such soil is generally more damp than a sandy soil, yet thorough ventilation of cellar, as well as drainage, is a vital point in its sanitary condition when so situated. 2. Does a cistern of water, covered with boards, in a cellar where there is a furnace, add, by evaporation, to the dampness of a house, even if the board covering is dry and there is no sign of moisture about the cistern? A. A cistern should not be tolerated in a cellar, according with modern sanitary practice. They are a source of miasma. 3. Of two houses or more situated on the same street, with same foundations, cellar, and soil, and built alike in every respect, apparently, is the one which shows the most frost on the windows, during winter, the dampest house, or is there some other way to account for the frost? A. Frost on windows in freezing weather indicates a moist atmosphere within, but does not always indicate a damp house. There are many reasons for a damp atmosphere within a house, such as the evaporation of water on stoves or furnaces, the use of baths, etc. The kitchen on a wash day is enough to soak a whole house. The hygrometric condition of the atmosphere within a house should correspond with the mean hygrometric condition of the outer atmosphere in fair weather, or from 60° to 70° of saturation. 4. What is the proper temperature for living rooms during the winter months? A. 65° to 75°, according to the vitality of the persons occupying the rooms. 5. What is the proper temperature for sleeping rooms? A. 45° to 55°, for reasons in fourth question.

(8) A. B. writes: 1. I have an engine as follows: 14 inches diameter of cylinder by 24 inches length of stroke. Wishing to ascertain the horse power of it, by my calculation I got 40·73. Am I correct or not? A. Nearly correct for a mean engine pressure of 40 pounds and piston speed of 200 feet per minute. 2. How can it be ascertained what amount of power certain part of machinery requires more than another part of machinery run by the same engine? A. Only by the use of a dynamometer, which you will find described and illustrated in SCIENTIFIC AMERICAN SUPPLEMENT, Nos. 194, 272, 309, 314.

(9) P. R.—In ship building, salting is considered beneficial as a preservative. The best rock salt is used, placed between the frames.

(10) F. W. P.—The brilliant star now seen in the east at early morn is the planet Venus. This may have been the star of Bethlehem.

(11) E. B. asks the composition of metal that faucet key makers use, that does not tarnish when exposed to the air. A Supposed to be what is called Britannia metal, composed of 25 parts tin, 50 parts antimony, and 25 parts lead; or pewter made of tin 8 parts, lead 2 parts, or a little harder of tin 8 parts, antimony 2 parts.

(12) J. M. H. asks a recipe for brightening and polishing the nickel plating on a bicycle, and for preventing rust on same. A. Rouge with a little fresh lard or lard oil, on a wash leather or piece of buckskin. Rub the bright parts, using as little of the rouge and oil as possible; wipe off with a clean rag slightly oiled. Repeat the wiping every day, and polishing as often as necessary.

(13) H. P. G. asks where the largest saw mill in the United States is located, and capacity of same. A. One mill at Winona, Minn., cuts 250,000 feet of lumber per day, and several from 150,000 to 200,000 feet per day. Some Michigan mills run from 100,000 to 200,000 feet per day.

(14) L. S. R.—For information on batteries for plating consult SUPPLEMENT, No. 310; it would require thirty cells of Bunsen battery to produce a light equal to that of a good gas jet. We cannot advise you to try producing electric light by means of batteries.

(15) E. W. E. asks: What will take the rust off nickel plating without removing the plating? A. Try rouge applied with a chamois skin.

(16) W. R.—You cannot make rubber moulds by melting rubber and pouring it over the pattern, as in the case of gelatine moulds. The rubber must be vulcanized; any one who understands working rubber could make you such moulds.

(17) F. H. B. writes: I have some office windows which my predecessor had frosted. How may I remove the frosting? A. Only by grinding and repolishing, which would be very expensive. If it is ordinary paint, you can remove it with a strong solution of caustic potash.

(18) R. C. H. asks whether there is any nutriment in buckwheat hulls. A. Little or none.

(19) D. C.—There is no method of brightening up gold frames other than regilding them. Platinum incandescent lamps are not practicable; it would take a large number of gravity cells to run such a lamp; a battery of the Bunsen bichromate type would be better.

(20) H. W. asks how to refine an old silver solution, and how to get the silver out. A. Add salt solution until a white precipitate ceases to form. Collect this white powder on a filter paper, and mix with borax and fuse in a small sand crucible. The silver will collect in a lump in the bottom of the crucible, and on breaking open the crucible, can readily be taken out.

(21) L. E. R. Co.—Stick rouge as used by the jewelers is supposed to be made with paraffine as a cementing element, as little as will hold the rouge together.

(22) F. G. H.—Paraffine and creosote are no doubt good preservatives for fence posts and shingles, but too expensive for general use. Coal tar is much used, and is no doubt cheaper. Crude paraffine can be had at from 7 to 8 cents a pound. Crude creosote, about the same.

(23) F. W. F. asks how the imitation of amber is made which is used on cheap cigar holders, etc. A. A receipt for imitation amber is given on page 210 of SCIENTIFIC AMERICAN, for October 6, 1883.

(24) P. O. B. asks (1) how much coal two 56 horse power boilers and two 50 horse power engines will consume in 12 hours. A. From 2½ to 5 pounds of coal per horse power per hour, according to the construction of boiler and engines. 2. Can I make an Edison dynamo to supply six 16 candle power lamp work with an engine of two-thirds horse power? A. We do not think you can work sixteen candle power lamps with an engine of the size given, as economy in dynamos decreases with the size. For information on making small dynamos consult Gordon on Electric Light or Dredge's Electric Illumination.

(25) J. H. asks if a man is required to have engineer's papers or license to run a steam launch 25 feet long on a fresh water river? A. Yes. 2. What speed will a boat of that length make against a current 3 miles per hour with a 5x6 engine and a 22 inch wheel? A. If a good model boat, probably 4½ miles per hour; possibly 5 miles.

(26) J. T. G. asks how to get daylight into a room having a large window space, there being a blank brick wall about five feet distant from the side of building. A. The common method of illuminating such rooms as you describe is to place outside of a window a mirror arranged at an angle of 45 degrees, which will receive the light from the sky and throw it into the room.

(27) P. B. asks what the preparation is for the portable electric lighter. A. For your battery make a saturated solution of bichromate of potash in hot water, allow it to cool, then add to the solution one-fifth of its bulk of commercial sulphuric acid; this will heat the solution and redissolve the crystals formed on cooling the aqueous solution. To every pound of this solution add a half drachm of bisulphate of mercury.

(28) J. H. M.—We believe that the University of New York gives much attention to biology.

(29) E. H. C. asks our advice how he may become a civil engineer. A. If you can associate yourself in some capacity with a first class civil engineer, so that you might study and practice with him, we think it would be your best course. You might, however, enter some of our technical schools, and take a course in civil engineering. If you wish to pursue the study alone, you might send to some of the technical schools for their prospectus, and pursue the course laid down for their students.

(30) R. G. asks: Why is the point 32 degrees below the freezing point on Fahrenheit's thermometer called zero? A. The Fahrenheit thermometer scale was invented in 1714; a mixture of equal weights of sal ammoniac and snow produced the lowest artificial temperature then known, and was thought to represent absolute cold, which was marked as the zero point of the scale. The interval between this point and the boiling point of water was divided into 212 degrees; the melting point of ice is at 32 degrees of this scale.

(31) A. A. A. writes: What can I do to stop my eyes from tearing? My time is very precious to me, and very often this tearing of my eyes prevents me from learning. I study in the evening for about three hours, and one in the morning. Do you think it does any harm to my eyes? A. The eyes are too delicate and too important to be treated by random advice. Much injury is constantly caused by so doing. Go to a good physician for treatment; that is your only wise course. At your age there must be some special, perhaps local, cause for the increase of the lachrymal secretion, and you may injure your eyesight permanently by attempting to remove it without sufficient knowledge.

(32) L. L. D. asks the cause of the disease called "hives," also its cure, if there is any. A. The trouble is caused by a perversion of the digestive functions accompanied by a disturbance of the circulation. It is not attended with danger, and is of importance only from the annoyance which it causes. Relief may be obtained in most instances by the use of cream tartar daily to such extent as to move the bowels slightly. Make a strong solution, sweeten it pleasantly, and take a teaspoonful, say after each meal, until the effect above mentioned is produced, and continue the treatment until the hives cease to be troublesome.

(33) L. C. Z.—For browning gun barrels, wet a piece of rag with antimony chloride, dip it into olive oil, and rub the barrel over. In 48 hours it will be covered with a fine coat of rust; then rub down the rust with a scratch brush and wipe with boiled linseed oil. All varnish or old dry oil must be removed before the application of the chloride by caustic potash, or if a plain barrel fine emery cloth may be used. A fresh, clean surface gives the best result.

(34) I. D. W. & Co., ask how to treat rancid or old butter to make it sweet. A. Rancid butter may be restored, or at all events greatly improved, by melting it with some freshly burnt and coarsely powdered animal charcoal (which has been thoroughly freed from dust by sifting) in a water bath, and then straining it through clean flannel. A better and less troublesome method is to well wash the butter with some good new milk, and next with cold spring water. Butyric acid, on the presence of which rancidity depends, is freely soluble in fresh milk.

(35) R. W. C.—There is no part of chemistry devoted to this special subject of the internal corrosion of marine boilers. There is a large "blue book" of the British Admiralty devoted to the subject. The trouble with the decay of steam boilers seems to be beyond the reach of chemistry.

(36) W. W. S. asks what to use that will brighten up, and make shine as when new, white metal or nickel plated show cases that have become tarnished, dull, and dirty. A. Ordinary rouge is used by nickel platers. The following is excellent: Take equal parts of precipitated iron carbonate and prepared chalk, or take quicksilver with chalk half an ounce, and prepared chalk 2 ounces; mix them. When used, add a small quantity of alcohol, and rub with chamois leather.

(37) J. Y. asks for information concerning the manufacture of nitrate of silver. A. Silver nitrate is prepared by dissolving silver in nitric acid and evaporating to crystallization. This operation is repeated until the crystals are considered sufficiently pure.

(38) S. M. G. asks how to make a gum to put on cardboard so that when wanted for use it can be moistened the same as stamps or envelopes. A. Use gum dextrine, 2 parts; water, 5 parts; acetic acid, 1 part; dissolve by aid of heat and add 1 part alcohol.

(39) J. G. writes: We are heating our office by steam. The boiler is on the basement floor. We intend carrying the pipes to the second and third floors. Can the condensed steam be returned to the boiler? If so, at what particular place on the boiler? A. Return the water of condensation to any part of the boiler where the feed is usually supplied; generally at the bottom of the front head near the hand hole. In a closed return circuit the coils or radiators should not be less than from 3 to 5 feet above the water line, as the water enters the boiler only by its gravity. Also the pipes conveying steam to the coils or radiators should be larger than for the discharge system, that the pressure in the whole line of pipe and coils shall be as near as possible to that in the boiler.

(40) L. J. S. writes: We use shellac varnish to varnish our fermenting tubs, which are of oak and pine woods; would paraffine heated (and the tubs heated), and then applied hot, be just as good? Would it be detrimental to the beer fermentation, etc.? A. We think paraffine would answer your purpose, if applied to the wood when dry and hot. It would not affect the fermentation.

(41) J. C. asks: 1. Will a 13½ inch propeller drive a boat 16 feet long by 3 ft. 6 in. beam 8 miles an hour? A. We think your propeller should not be less than 15 or 16 inches diameter. 2. What is the best speed to run such a propeller? A. Engine should make 350 to 380 revolutions per minute.

(42) B. G. F.—It is not necessary to superheat the steam for digesting bone material. Steam at 80 to 100 pounds pressure is equal to the work. Use a cylinder upright with a conical bottom made double for a steam jacket, and a short perforated coil upon the inside for direct steam upon the material. The digester should have a strong manhole at the top and bottom, to facilitate charging and discharging. The whole to be made strong enough to work at 100 pounds pressure. The usual process is to charge the digester with bones one-half or two-thirds full, cover with water, and boil under the full pressure of the boiler, regulating the height of water by addition of steam through the perforated pipe. Draw off the oil and grease through a pipe inserted at the water level. When no more oil or grease flows, blow out the water from a tap at the bottom, open the manholes, and discharge the bones at the bottom. Any boiler maker can make the apparatus required.

(43) E. N. L. asks: 1. How can I on a short line of ordinary telegraph wire, say 200 feet long, duly insulated and connected to batteries, make resistance sufficient to equal 100 miles, 1,000 miles, and 10,000 miles, or a resistance that would indicate the same as if the same (electrical) currents were passing over 100, 1,000, or 10,000 miles of the same wire? A. We know of no means of producing an artificial circuit which will fulfill all of the conditions of the actual line. The resistance of the circuit is an insignificant matter compared with leakages and the effects of induction. A telephone that will work through a resistance equivalent to 10,000 miles of line wire might be incapable of working over an actual line 100 miles long. You can readily supply the artificial resistance by means of an ordinary rheostat. 2. Does the electricity help carry the human voice or any other sound along the wire, or does it simply insure the same movements in the receiving diaphragm as the sound waves make upon the transmitting diaphragm? A. The electric current does not carry the sound, but reproduces in the receiving instrument movements similar to those in the transmitting instrument. 3. How can I also make resistance to sound alone, without any electric connection for the same distance on the same length line (200 feet), that is, 100, 1,000, or 10,000 miles. My particular object is long distance telephoning. A. By using a poor conductor of sound, or in some manner damping the conductor so as to prevent its free vibration. 4. If you should recommend the getting of some instrument now in the market, please state where it could be purchased. A. You can purchase a rheostat from any of the dealers in electric instruments who advertise in our paper.

(44) M. E.—For laying up your boilers for the season, change the water by thoroughly blowing out, so as to have it as fresh as possible, then pump or put into the boiler about 3 quarts of kerosene oil for each 10 horse power, get up steam, and draw the fire; then blow out all of the water and close all openings to boiler. Clean flues and furnace thoroughly. If the boiler is set in brick work, time must be given for the brick furnace to cool down before blowing off, so the hot brick work may not injure the shell by overheating. Frequent blowing off is the only recourse, where salt or brackish water is used, for preventing foaming or scale.

(45) F. H. L. asks for a good and inexpensive receipt for making a liquid cement for cementing leather, that will not be affected by the action of water and can be applied cold and adhere the parts with little or no pressure. A. We know of nothing that can be applied cold that is satisfactory, and therefore recommend the following: A good cement for splicing leather is gutta percha dissolved in carbon disulphide, until it is of the thickness of treacle; the parts to be cemented must first be well thinned down, then pour a small quantity of the cement on both ends, spreading it well so as to fill the pores of the leather; warm the parts over a fire for about half a minute, apply them quickly together, and hammer well. The bottle containing the cement should be tightly corked and kept in a cool place. Another excellent recipe is given on page 3727 of SCIENTIFIC AMERICAN SUPPLEMENT, No 234, that can be used for this purpose.

INDEX OF INVENTIONS

For which Letters Patent of the United States were Granted

December 9, 1884,

AND EACH BEARING THAT DATE.

[See note at end of list about copies of these patents.]

Adding machine, M. O. Dolson 309,035
Amalgamator, J. Knoche 309,148
Animal shears, F. W. Carter 309,131
Auger handle, H. Sager 308,995
Axle lubricator, C. H. Cummings 309,136
Back-band, J. B. McHugh 308,974
Bag. See Mail bag.
Bale tie, W. M. Jinkins 309,061
Bale tie band, F. Cook 309,133
Balloon or aerial ship, R. Thayer 309,008
Barrel, H. S. Tipton 309,010
Battery. See Electric battery.
Bearing, anti-friction, G. L. Brownell 308,873
Bed, wardrobe, I. R. Van Slyke 309,111
Beer, preserving, W. M. Henderson 308,965
Bessemer converters, etc., manufacture of refractory linings for, H. D. Pochin 308,984
Bicycle, L. C. Perkins 309,086
Bitters, N. Kieffer 308,900
Blind or shutter, window, Bristol & Page 309,024
Block. See Brake block.
Boiler. See Furnace boiler. Steam boiler.
Bolt. See Spring bolt.
Bolting reel, D. Schindler 309,102
Bolting reel, J. Warrington 309,176
Book attachment, E. L. Yewell 308,942
Boot stretcher, I. W. Myers 309,154
Boots or shoes, wearing plate for rubber, F. Richardson 308,989
Boots, shoes, etc., machine for manufacturing felt, L. Ruel 308,929
Bottle, H. A. Chalvin 308,950
Bottle stoppers, manufacture of vulcanized, Manwaring & Street 309,072
Bottling machine, J. Matthews 308,913
Box. See Paper box.
Brake. See Carriage brake. Locomotive brake. Vehicle brake. Wagon brake.
Brake block, J. A. Allen 309,017
Brick machine, C. A. Tarragon 309,037
Bridle box loop, L. C. Voorhees 309,173
Bridge truss or girder, C. L. Strobel 309,171
Broom machine, S. P. Fraley 308,888
Brushes, machine for cutting top knots for blacking, C. A. Mable 309,068
Buckle, J. W. Meaker 308,915
Buckle and loop, F. A. Neider 309,156
Buckle and strap attachment, J. P. Hisley 309,051
Button, W. H. Halsey 309,045
Button or stud, separable, J. Wright 308,939
Button setting machine, G. A. Mosher 309,080
Calcimine composition and preparing the same, G. A. Marsh, Jr 308,973
Can. See Milk can.
Cannon, pneumatic, W. A. Bartlett 308,945
Car basket rack, J. Denver 309,033
Car coupling, F. V. Isoire dit Provencal 309,058
Car coupling, W. Stamp 309,169
Car door hanger, E. Y. Moore 308,916
Car draw bar, freight, W. A. Jones 309,146
Car running gear, railway, T. B. Mackey 309,067
Car safety attachment, railway, H. Listerud 308,909
Car. stock, B. W. Rhodes 308,928
Carbureting air or gases, apparatus for, A. J. English 308,886
Carburetors, automatic hydrocarbon feeding apparatus, C. F. Copeland 308,877
Carriage brake, child's, M. R. Dillin 308,882
Carrier. See Hay carrier.
Cart, J. H. Tiffany 308,933
Cartridge, T. Yates 308,941
Cartridge loader, F. H. Perry 309,088
Case. See Watch case.
Casting car wheels, W. Wilmington 309,120
Cement, manufacturing Portland, E. F. Loiseau 309,150
Chop grader, J. T. Obenchain 308,977
Churn, A. J. Borland 308,869
Cigar perforator, Larsen & Bersted 308,906
Camp. See Scaffold clamp.
Clay crushing machine, W. W. Wallace 309,174
Clip. See Rein clip.
Clocks on telephone and other lines, circuit controller for electric, J. E. Smith 309,001
Clocks synchronously, electric apparatus for setting, J. E. Smith 309,000
Cloth, machine for coating, W. H. Nash 309,083
Clutch, friction, W. D. Brock 308,972
Cock or faucet, W. J. Wilson 308,938
Cock, stop, W. M. Mixer 308,975
Coffee, rice, etc., apparatus for hulling, J. A. Villavicencio 309,112
Coffee roaster, J. Just 309,147
Collar and hame, combined horse, F. R. Hogeboom 308,966
Collar, horse, Degnan & Meyer 308,881
Combs, etc., manufacture of, O. B. Gallup 308,889
Combustion apparatus, portable, W. L. Lowrey 308,911
Commode, cabinet, Q. S. Backus 308,868
Compressing and moulding powdery and pasty substances, machinery for, J. M. Willcox 309,117, 309,118
Converter, J. Reese 308,986
Cooler. See Water cooler.
Cotton press, W. C. Pinson 309,090
Cotton scraper attachment, J. H. McMurray 308,920
Coupling. See Car coupling. Strap coupling. Thill coupling.
Crank shaft bearing and connection, S. F. Byrnes 308,949
Cultivator, E. V. Caldwell 309,130
Cultivaton, tongueless, J. O. Humble 309,057
Cutter. See Key seat cutter. Rotary cutter.
Cutting, harrowing, and loosening ground, device for, J. W. Alderson 308,865
Damper, C. L. Wilkins 309,178
Desk and seat, school, H. Weber 309,115
Detector. See Low water detector.
Dock or coffer dam, portable dry, F. Cox 309,080
Door check, E. F. Decker 308,880
Drill. See Grain drill.
Drilling machine, P. G. March 309,073
Dust collector, H. Keiser 308,898
Dyeing, pattern, G. Witz 308,016
Educational apparatus, I. S. Kinch 309,064
Egg beater, O. Kitchel 309,901
Egg holder, F. P. Hervey 309,049
Electric battery, I. L. Roberts 308,992
Electric gauge, C. D. Warner 309,114
Electric wire supporter, O. M. Draper 308,954

© 1884 SCIENTIFIC AMERICAN, INC

Electrical circuits, adjustable resistance for, F. J. Sprague 309,167
Elevator shaft guard, C. Whittier 308,936
Engine. See Hot air engine.
Extractor. See Honey extractor. Wax extractor.
File and holder, G. J. Murdock 309,153
Fire escape, W. Craddock 309,031
Fire escape, I. F. Good 309,141
Fire escape, J. R. Koons 309 149
Fire escape, M. H. Robb 309,097
Fire kindler, F. D. Cordes 308,878
Fire shield for roofs, etc., J. McCarroll 309,076
Fish line and hook guard, W. W. Byington 309,028
Fork. See Hay fork.
Fork, O. A. Lee 308,907
Frame. See Quilting frame.
Furnace, boiler, and evaporating pan, combined, E F. Reser 309,096
Furnace for the combustion of wet fuel, A. W. Colwell 308,951
Furs, process of and apparatus for removing water hairs from seal and other, J. W. Sutton 308,932
Furniture, school, H. W. McVicar 308,921
Gauge. See Electric gauge.
Gang plank, R. B. Ayres 308,867
Gas regulator, F. Geissler 309,041
Gas, tank for the reception and transportation of of natural, J. M. Bruce 308,948
Germinating apparatus, Coldewe & Schonjahn 309,132
Girder, C. H. Kellogg 309,033
Girth, saddle, P. J. Pefley 308,983
Glucose and grape sugar from corn, etc., manufacturing, Williams & Alberger 308,937
Governor, F. D. Cummer 309,135
Grading the particles of crushed stone, ores, etc., apparatus for, W. A. Goodyear 309,043
Grain binder needle, J. P. Bullock 309,026
Grain drill, J. F. Keller 308,899
Grain scouring machine, J. B. Harris 308,894
Grinding mill, J. T. Obenchain 308,976
Guard. See Elevator shaft guard. Piano pedal guard.
Hame attachment, R. K. Burt 309,129
Handle. See Auger handle. Tool handle.
Harrow, J. C. Williams 309.119
Hat holder, O. H. Haubner 309,047
Hay carrier, E. C. Norton 309,157
Hay fork, horse, F. H. Bolte 309.022
Hay tedder, J. D. Tracy 309,172
Headlight, locomotive, E. L. Hall 309,044
Heat conductor and radiator, M. Ryan (r) 10,543
Heel stiffener machine, S. Prior 309,161
Hinge, W. M. Ducker 308,883, 308,884
Hinge, J. T. Foster 309,039
Hinge, spring, J. H. Shaw 309,104, 309,105
Hoisting and lowering weights, device for, J. Spaulding 309,002
Holder. See Egg holder. Hat holder. Necktie holder. Photograph camera plate holder. Testing machine holder.
Honey extractor, centrifugal, O. P. Squier 309,003
Horseshoe, D. R. Porter 308,926
Hose or tubing, E. L. Perry 309,087
Hot air engine, A. E. & H. Robinson 309,163
Ice cream freezer, Weaver & Mayer 309,177
Ice making and refrigerating machine, C. C. Palmer 308,980
Indicator. See Station indicator.
Insulating electrical conductors and compound for coating the same, W. D. Grimshaw 308,890
Iron. See Sad iron.
Iron and steel, converter for the manufacture of, G. Hatton 308,963
Jack. See Lifting jack.
Joint. See Railway rail joint.
Key ring, button hook, and nail cleaner, combined. E. L. Frank 309,139
Key seat cutter, C. A. Lanphere 309,066
Lacing hooks, machine for attaching, E. Maynz 308,914
Lacing hooks or studs, machine for setting, S. N. Smith 309,166
Lamp, electric arc, S. F. Van Choate 309,012
Lamp reflector attachment, Hayes & Kimball 308,895
Lathe, R. L. Peabody 308,924
Life-preserver, Z. N. De Ledochowski 309.032
Lifting jack, J. Stoody 309.108
Lifting jack, B. P. Witt 309,179
Light. See Headlight.
Lighthouse illuminator, C. B. Boyle 308,871
Linting machine, G. E. Browne 309,128
Lock. See Seat lock.
Lock, Eames & Ostrom 308,885
Lock, Woodrich & Langbein 309,181
Locomotive brake, C. Beard 309,122
Log loader, F. F. Schofield 309,103
Loom let-off mechanism, J. D. Cottrell 308,953
Looms, compound harness for Jacquard, Rigby & Lindsay 308,991
Low water detector for steam boilers, J. M. Palmatier 308,979
Low water indicator, L. F. Smith 309,106
Lubricating device, J. A. Horton 309,055
Lubricator. See Axle lubricator.
Lumber and making the same, surface cut, F. Mankey 309,071
Mail bag, C. W. Cornell 308,952
Mail pouch, J. H. Geary 308 961
Measuring machine. cloth, L. Granger 309,053
Medicine for rheumatism, S. T. Wright 308,940
Metal, anti-friction, W. M. Burnham 308,874
Metal cutting machine, E. Samuel 309.101
Metals, composition of, J. A. Tobin 309,011
Milk can, C. W. Pusheck 309,162
Mill. See Grinding mill. Reduction mill. Rolling mill. Sawmill. Windmill.
Mills, dust collector for, C. O. Mook 309,078
Mineral veins, electrically locating, A. P. Lighthill 308,908
Motor, R. Thayer 309,009
Movement cure apparatus, M. G. Farmer 309,036
Naphtha and other vapors, apparatus for condensing, C. A. Burghardt 309,027
Necktie holder, J. Scudder 308,998
Nut lock, E. J. Clark 308,876
Ores for amalgamation and desulphurizing the same, preparing, C. R. Squire 309,168
Overshoes, machine for securing wearing plates to rubber, F. Richardson 308,988
Padlock, permutation, I. W. Moore 309,152
Padlock, seal, D. B. Reeve 308,987
Pail, dinner, C. C. & S. H. Dudley 309,137
Panel and wood trimming, F. Mankey 309.070
Pannier, J. Schoenhof 308,996
Pants protector, C. Wenzel 308,116
Paper box, A. G. Hohenstein 309,052
Paper folding machine, J. H. Stonemetz 309,107
Peanut roaster, L. Rosenkranz 309,098
Photograph camera plate holder, S. S. Benster 308,946
Piano, W. Fischer 309,138
Piano pedal guard, R. W. Tanner 309,006
Piston, E. H. Reed 308,985
Planter check row attachment, corn, W. H. Stewart 309,004
Planter fertilizer distributer, corn, C. H. Thompson 309,110
Plated ware, W. A. Warner 309,130
Plow, steam, W. & J. Paterson 308,923
Plush or cloth, renovating, J. Besanson 309,124
Pottery ware, mould for the manufacture of, J. & J. F. Maddock 308,970
Power machine, P. G. Olds 309,159
Press. See Cotton press.
Printing press delivery apparatus, L. J. Doetsch 309.034
Printing press sheet delivery apparatus, C. B. Maxson 309,075
Projectile, W. A. Bartlett 308,944
Protector. See Skirt protector. Tree protector.
Pulley, wood rim, K. Hyde ..... 309,143 to 309,145
Pulley, wood rim, A. M. Moore 309,079
Pulley, wood rim, Taylor & Hyde 309.007
Pump gearing, force, A. F. Nagle 309,155
Quicksand and other water bearing strata, method of and apparatus for sinking shafts, etc., through, F. H. Poetsch (r) 10,541
Quilting frame, F. M. German 309.042
Railway rail joint, J. Bender 309,123
Reduction mill, gradual, J. T. Obenchain 308,978
Reel. See Bolting reel.
Reflector and refracting lens, combined, C. B. Boyle 308,870
Refrigerator, S. Gallais 308.960
Refrigerator, D. Lupton 309,151
Register. See Time check register.
Regulator. See Gas regulator.
Rein clip, check, F. J. Smith 309,165
Roaster. See Coffee roaster. Peanut roaster.
Rock drill support, D. Wood 309,180
Rock drilling machine, B. F. Bergh 308,947
Rock drilling machine, Parsons & Bergh 309,160
Rolling machine, tire, J. Munton 309.032
Rolling mill, E. Samuel 309,100
Roofing, metal, J. Walter 309,175
Roofing plate, metal, C. B. Cooper 309,134
Roofing plate, sheet metal, J. Walter 309,113
Rosaniline derivatives, manufacture of, F. Machenhauer 308,912
Rotary cutter, A. E. Stirckler 309,005
Sad iron, C. J. Haas 308,892
Saddle, harness, H. C. McConnell 308,919
Saddle, harness, J. Straus 309,170
Salts, method of and apparatus for concentrating metallic or other, J. H. Kolb 308,903
Sash fastener, M. Joubert 308,967
Sash fastener, J. D. Price 309,094
Sash fastening, H. L. Heaton 308,964
Sawmill, portable, A. J. Huber 309,056
Saw swage, D. B. Hanson 308,893
Scaffold clamp, A. B. Flach 309,038
Scoop shovel, wooden, J. L. Locke 308,910
Screen. See Window screen.
Screw cutting machine, E. H. Freter 309,140
Seat lock, G. Maibach 308,971
Seesaw, J. M. Harr 308,962
Sewing machine tucking attachment, E. Bouillon 309,023
Sewing or quilting fabrics, machine for, F. L. Palmer 308,981
Sewing or quilting fabrics, machine for, W. H. Palmer, Jr 308,982
Shafting, device for securing collars and hubs to, K. Hyde 309,142
Shears. See Animal shears.
Shovel. See Scoop shovel.
Shutter fastener, B. Jacob 309,059
Sifter, flour, W. F. Kistler 309,065
Skate, roller, E. C. Phillips 309,089
Skate, roller, L. M. Richardson 308.990
Skirt protector, M. L. Cummings 308,879
Sleigh, A. Schoeninger 308,930
Soap, manufacturing, O. Liebreich 308,968
Sorghum finisher, P. D. & J. H. Coryell 309,029
Spark arrester, J. R. Werth 309,014
Spinning frames, etc., device for removing pressure from rolls of, W. Kelley 309,062
Spring bolt, P. Forg 308,887
Squib, miner's, G. S. Reese 309,095
Staple setting instrument, H. Rose 308,994
Staples, machine for inserting, S. E. Mower 309,081
Station indicator, H. E. Bissell 309,020
Steam boiler, W. Malam 309,069
Steam boiler, S. McClain 308.918
Steam boiler, S. T. Porter 309,092
Steam pipe and boiler covering, L. Aldrich 308,943
Stereotypes, machine for grooving, E. E. Pratt *et al.* 309,093
Stove, railway, T. J. Lambert 308.904
Stoves, feed regulator for oil, W. E. Eastman 308,955
Stoves, ranges, etc., water heater for, J. A. Price 308,927
Strap coupling, R. K. Burt 308,875
Tapping mains, device for, W. S. Payne 309,085
Tea and coffee pots, wooden handle for, A. Jahont 309,060
Telegraph call box, C. Herrmann 308,897
Telegraph, printing, Pope & Edison (r) 10,542
Telegraph signal box, district, W. B. Palmer 308,922
Telegraphy, R. K. Boyle 309,126
Telephone transmitter, W. H. Eckert 308,956
Testing machine holder, A. H. Emery 308,957
Thermometer, clinical, J. J. Hicks 309,050
Thill coupling, J. S. Hendrickson 308,896
Thimble, H. M. Guild 308,891
Thrashing machine band cutter and feeder, J. A. & F. H. Marshall 309,074
Timber, machine for framing, W. J. Bley 309,021
Time check register, C. D. Rogers 308,993
Tin from tin scraps, apparatus for the separation of, J. H. Kolb 308,902
Tire tightener, R. Ruffin 309,164
Tobacco curing apparatus, Horowitz & Ragendorf 309.054
Tool handle, H. H. Trenor 308.934
Traction wheel, S. Lanceskes 308,905
Tree protector, A. H. Hatmaker 309,046
Truck, stove, J. G. Arnold 309,121
Tug and trace fastening, hame, Schwaner & Bollinger 308.931
Tug, shaft, Smith & Diehl 308.999
Turning wrist pins, machine for, D. W. Pedrick 308,925
Underground conduit, accessible, Platt & Aldrich 309,091
Valve gear, reversing, M. R. Moore 308.917
Valve, steam-actuated, W. Royce 309.099
Vault, grave, M. F. Brown 309.025
Vehicle brake, T. J. Scott 308.997
Vehicle running gear, H. Mankel, Jr 308.972
Vehicle, two-wheeled, Frazier & Stolp 309,040
Velocipede, S. W. Taylor 309,109
Wagon brake, C. F. Best 309,125
Wagon, buckboard, C. B. Haynes 309,048
Wallet, portemonnaie, etc., T. J. Ford 308,959
Watch bow fastening, B. A. Barnes 309.018
Watch case, D. O'Hara 309,158
Water closet and similar structures, H. C. Weeden 308,935
Water cooler, J. O. Brookbank 309,127
Wax extractor, J. D. Enas 308,958
Wheel. See Traction wheel.
Windmill, J. R. Millard 309,077
Window screen, H. E. Willer 309,015
Wrench, J. Lussier 308,968
Wrench, F. G. Osborn 309,084

DESIGNS.

Badge, A. C. Schmidt 15,609
Carpet, D. McNair 15,605
Carpet, D. G. Melville 15,603, 15,604
Coffin ornament, S. C. Lewis 15,601
Dinner, tea, and table ware, J. Edwards 15,598
Dish, T. Haviland 15,600
Earring, T. W Foster 15,599
Link lifter, R. Smith 15,608
Mohair, plush, G. Bötticher 15 597
Skirt, lady's walking, C. O'Hara 15,606
Statuary, group of, J. Rogers 15,607
Type, font of, J. West 15,610
Type, printing, A. Little 15,602

TRADE MARKS.

Bleaching compounds and soap, A. H. Hall 11,754
Buttons and studs, sleeve and collar, Howard & Son 11,755
Buttons, moulded, cast, and turned, Ostheimer Brothers 11,759
Cachous, B. H. Douglass *et al.* 11,753
Coffee, roasted, Austin, Nichols & Co 11,751
Disinfectants, deodorants, and antiseptics, Sanitas Company 11,768
Flour, wheat and rye, Gilbert, Jr., & Jones 11,766
Glass, decorative, C. T. De Forest 11,752
Glass, plate, Société Anonyme des Manufactures des Glaces et Produits Chemiques de St. Gobain, Chauny et Cirey 11,760
Gloves, F. A. Graichen 11,767
Lard, N. K. Fairbank & Co 11,773
Organs or combined reed and pipe organs, reed, Estey Organ Company 11,765
Paper, albumenized, E. & H. T. Anthony & Co 11,750
Pianos, Estey Organ Company 11,764
Reaping, mowing, and grain binding machines, D. S. Morgan & Company 11,758
Shelling and grinding mill, combined, Wilcox & Hopkins 11,762
Shingles, Whittier & Co 11,761
Soap and saponaceous compounds for cleansing and polishing, M. Strong 11,757
Tobacco, plug and twist, T. J. Talbott ..... 11,769 to 11,772
Tobacco, smoking and chewing, C. W. Allen 11,763

A printed copy of the specification and drawing of any patent in the foregoing list, also of any patent issued since 1866, will be furnished from this office for 25 cents. In ordering please state the number and date of the patent desired, and remit to Munn & Co., 361 Broadway, New York. We also furnish copies of patents granted prior to 1866; but at increased cost, as the specifications, not being printed, must be copied by hand.

Canadian Patents may now be obtained by the inventors for any of the inventions named in the foregoing list, at a cost of $40 each. For full instructions address Munn & Co., 361 Broadway, New York. Other foreign patents may also be obtained.

Advertisements.

Inside Page, each insertion - - - 75 cents a line.
Back Page, each insertion - - - $1.00 a line.
(About eight words to a line.)
Engravings may head advertisements at the same rate per line, by measurement, as the letter press. Advertisements must be received at publication office as early as Thursday morning to appear in next issue.

PRINTERS' ROLLERS. BEST AND CHEAPEST.
Used in printing the SCIENTIFIC AMERICAN.
D. J. Reilly & Co., 326 Pearl St., New York City.

VELOCITY OF ICE BOATS. A COLLECTION of interesting letters to the editor of the SCIENTIFIC AMERICAN on the question of the speed of ice boats, demonstrating how and why it is that these craft sail faster than the wind which propels them. Illustrated with 10 explanatory diagrams. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. **214.** Price 10 cents. To be had at this office and from all newsdealers.

OPTICAL GOODS
Microscopes, Telescopes, Field and Opera Glasses, Magic Lanterns, etc.; also, Barometers, Thermometers, Compasses, Batteries, Drawing, Drainage, Dairy, and other **Scientific Instruments.** 192-*pp. Catalogue free.*
PRENTICE & SON, Mfg Opticians, **176 B'way, NY.**

The New Catalogue of Valuable Papers
contained in SCIENTIFIC AMERICAN SUPPLEMENT, sent *free of charge* to any address.
MUNN & CO., 361 Broadway, N. Y.

WATCHMAKERS.
Before buying, see the Whitcomb Lathe and the Webster Foot Wheel, made by the AMERICAN WATCH TOOL CO., Waltham, Mass. CATALOGUES FREE.



WITHERBY, RUGG & RICHARDSON, Manufacturers of Patent Wood Working Machinery of every description. Facilities unsurpassed. Shop formerly occupied by R. Bail & Co., Worcester, Mass. Send for Catalogue.

PERFECT
NEWSPAPER FILE
The Koch Patent File, for preserving newspapers, magazines, and pamphlets, has been recently improved and price reduced. Subscribers to the SCIENTIFIC AMERICAN and SCIENTIFIC AMERICAN SUPPLEMENT can be supplied for the low price of $1.50 by mail, or $1.25 at the office of this paper. Heavy board sides; inscription "SCIENTIFIC AMERICAN," in gilt. Necessary for every one who wishes to preserve the paper.
Address
MUNN & CO.,
Publishers SCIENTIFIC AMERICAN.

J. A. FAY & CO.
Cincinnati, Ohio, U.S.A.
WOOD WORKING MACHINERY
Embracing nearly 300 different tools for Arsenals, Navy Yards, Car Shops, Bridge Works, Saw and Planing Mills, Door, Sash, Furniture, Piano & Organ factories &c. Including Sawing, Planing, Molding, Mortising, Tenoning, Shaping, Polishing, &c., of the highest standard of excellence and warranted the most labor saving of any in use.
W. H. Doane, President. D. E. Eyon, Secy.





GEO. W. FIFIELD,
MANUFACTURER OF ENGINE LATHES
FROM 16 TO 48 IN SWING
CUTS, PHOTOGRAPHS AND PRICES FURNISHED ON APPLICATION.
LOWELL, MASS., U.S.A.

FRICTION CLUTCH
Pulleys and Cut-off Couplings.
JAS. HUNTER & SON, North Adams, Mass.

APPARATUS FOR ELECTRICAL MEASUREMENTS.—Illustrations and description of the various interesting apparatus for measuring electricity that were shown at the Munich Exhibition, including Wiedemann's bifilar galvanometer; Wiedemann's galvanometer for strong currents; Zenger's differential photometer; Von Beetz's solenoid; apparatus for demonstrating the principle of the Gramme machine; Van Rysselberghe's thermometrograph; Von Beetz's chronograph; and Harlacher's apparatus for studying deep currents. Illustrated with seventeen engravings. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. **421.** Price 10 cents. To be had at this office and from all newsdealers.

WATCHMAN'S IMPROVED
TIME DETECTOR,
WITH SAFETY LOCK ATTACHMENT.



Patented 1875, 1876, 1877, 1880, 1881, 1882. This Instrument is supplied with 13 keys. Invaluable for all concerns employing watchmen. It contains all modern improvements, and is far superior at the old style. 1882—At the National Exposition for Railway Appliances at Chicago. The only Medal for the most complete and Perfect Instrument. P. O. Box 2875.
Send for circulars to
E. IMHAUSER, 212 Broadway, New York.

ICE-BOATS — THEIR CONSTRUCTION and management. With working drawings, details and directions in full. Four engravings, showing mode of construction. Views of the two fastest ice-sailing boats used on the Hudson river in winter. By H. A. Horsfall, M.E. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, **1.** The same number also contains the rules and regulations for the formation of ice-boat clubs, the sailing and management of ice-boats. Price 10 cents.



Woodworking Machinery.
For Planing Mills, Furniture and Chair Factories. Car and Agricultural Works, Carriage and Buggy Shops, and General Wood Workers. Manufactured by
The Egan Company,
Cincinnati, O., U. S. A.
Full assortment of Perin Saw Blades.

ELECTROLYTIC FIGURES. — A DESCRIPTION, with nine illustrations, of the various curious crystalline ramifications obtained by Cardani through the electrolysis of a solution of nitrate of silver. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. **426.** Price 10 cents. To be had at this office and from all newsdealers.



ICE-HOUSE AND COLD ROOM.—BY R. G. Hatfield. With directions for construction. Four engravings. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, **59.** Price 10 cents. To be had at this office and of all newsdealers.

PATENTS NEGOTIATED ABROAD.
THE AMERICAN AND FOREIGN INDUSTRIAL ASSOCIATION of New York undertakes the sale of Patents in Europe. Is connected with the "Joint Stock Association" of London, and has Agents in Paris, Brussels and Berlin. For further particulars, address HENRY A. HERBERT, President, 155 Temple Court, New York.

PATENTS.
MESSRS. MUNN & CO., in connection with the publication of the SCIENTIFIC AMERICAN, continue to examine Improvements, and to act as Solicitors of Patents for Inventors.
In this line of business they have had *thirty-eight years' experience*, and now have *unequaled facilities* for the preparation of Patent Drawings, Specifications, and the prosecution of Applications for Patents in the United States, Canada, and Foreign Countries. Messrs. Munn & Co. also attend to the preparation of Caveats, Copyrights for Books, Labels, Reissues, Assignments, and Reports on Infringements of Patents. All business intrusted to them is done with special care and promptness, on very reasonable terms.
A pamphlet sent free of charge, on application, containing full information about Patents and how to procure them; directions concerning Labels, Copyrights, Designs, Patents, Appeals, Reissues, Infringements, Assignments, Rejected Cases, Hints on the Sale of Patents, etc.
We also send, *free of charge*, a Synopsis of Foreign Patent Laws, showing the cost and method of securing patents in all the principal countries of the world.
MUNN & CO., Solicitors of Patents,
361 Broadway, New York.
BRANCH OFFICE.—Corner of F and 7th Streets, Washington, D. C.

© 1884 SCIENTIFIC AMERICAN, INC



ILLUSTRATIONS.

A

Aerial navigation 342
Aeroplane, Tatin's..... 342
Alarm, O'Connell's..... 410
Ant lion..... 231
Atmosphere, organisms in..... 279
Atomizer, steam..... 150
Auger bit, Dimitt's 324
Axle, Gregg's 210
Axle lubricator, Keller's..... 322
Axolotl, Mexican..... 9

B

Bacteria, atmospheric..... 279
Bag holder, Gilliland's..... 131
Baking pan, Laube's..... 178
Balancing device..... 426
Baling press, new..... 130
Balloon, electric, new..... 199
Barn, portable..... 98
Basket, flower, Russian..... 106
Bearings, alarm for 410
Bench stop, Adams' 322
Bending machine, Stokes'..... 51
Bit, auger, Dimitt's 324
Blast, carbon, Foster's..... 359
Boiler explosion experiments.....394
Boiler explosion, France..... 35
Boiler for heating buildings..... 196
Boiler, Robilliard's..... 274
Boiler, steam, Hedge's..... 179
Bookstand, Bowman's..... 66
Botanizing on a coin..... 247
Bottles, packing box for..... 308
Box cover securer, new..... 19
Brace, leg, Cote's 212
Bridge, Dom Pedro..... 307
Bridge, lift, hydraulic..... 15
Brontosaurus, skeleton of 343
Brush exhibit, Philadelphia..... 271
Brush, paraffine, Thomas'..... 214
Bucket, well, Foot's 52
Buckle, Pender's..... 114
Buoy, life, Howell's..... 56

C

Cabin car, Haywood's..... 163
Camel corps, British..... 415
Canal, Corinth..... 111
Cane planting machine..... 307
Canister, measuring..... 306
Cannon, huge, casting..... 47
Capsule machine, Strickler's..... 324
Car coupling, Hoover's..... 134
Car coupling, McPheeter's..... 258
Car, dumping, Sherrod's..... 210
Car gate, Hughes'..... 226
Car stock, watering device..... 194
Carbon blast, Foster's..... 359
Card cutter, Tylee's..... 130
Carpenters, tool for..... 178
Carriage, steam, new..... 198
Cars, refrigerating..... 395
Casing for pipes 417
Catamaran, steam..... 278
Catamaran, steam, new..... 63
Catch, elevator, Giles'..... 147
Catch, safety, Weeks'..... 36
Cattle, fine 399
Caves, Fish River..... 223
Cellar drain, Posz's 338
Cellar grate, Byar's..... 67
Change-box, car driver's..... 275
Charger to load revolvers..... 290
Chimpanzees, young..... 247
Cholera, fumigation for..... 152
Cholera in 1884. 150
Cholera morbus 347
Churn, Clark's..... 306
Clamp, sail, Idner's..... 34
Claw bar, Hardwick's..... 354
Click beetles 37
Clock frame, Wykhuyser's..... 195
Clocks, hydraulic, ancient..... 263
Clothes reel, Schwendler's..... 292
Colter hanger, Shaw's 275
Compartments for ships..... 8
Constant-level apparatus..... 263
Corn planter, Barrett's 82
Corn planter, Rickett's..... 4
Corn stalk cutter, Gillet's..... 162
Cotton Exposition, N. Orleans....407
Cotton press, Baumgarten's..... 130
Counter, game, Dayton's..... 410
Coupling, shaft, Golden's..... 20
Coupling, thill, Struck's..... 18
Coupling, thill, Wheeler's..... 40
Crab, edible..... 215
Crane, coal, new 275
Crane, locomotive, 14 ton..... 127
Crib, Allender's..... 332
Crow hut..... 426
Cryptogams, spores of. 279
Cultivator, Ham's 210
Cupola, Gmelin's 360
Cupola, improved..... 211
Current wheel, Coffman's..... 178
Curtain fixture, Ingalls'..... 67
Cuspidor stand, Schindler's 106
Cutter, well-pipe 34

D

Death by lightning..... 120
Delta metal steam launch..... 134
Diamonds in tools, setting..... 242
Dinosaurs..... 343
Disintegrator, Jones'..... 146
Distances, estimation of..... 55
Door and gate latch..... 146
Door knob, Johnson's..... 194
Drain, cellar, Posz's..... 338
Drawers, Towles'..... 396
Dredge, marine, 300 H. P..... 111
Dredging apparatus, Oakland, Cal.... 101
Drying machine, new 31
Dynamo machine, Brush..... 271
Dynamometer, Frankel's 411

E

Edison exhibit, Philadelphia. 239
Electric balloon, new 199
Electric conductors, joint..... 258
Electric hair brush..... 306
Electric Light Co., U. S..... 246
Electric light in photography..... 71
Electric mouth lamp 259
Electric railway, Germany..... 227
Electric railways, grip for..... 326
Electrical darky..... 239
Electrical exhibition, Philadel., 239, 255, 271, 287
Electricity without app. 39
Electro-pneumatic valve..... 105
Elevator, Mason's..... 51
Elevator catch, Giles'..... 147
Elevator catch, Weeks'..... 36
Elevator regulator..... 426
Engine, agricult., Shapley's..... 23
Engine, compound, Shanks'..... 38
Engine, gas, Otto..... 326
Engine house, fire, N. Y 79
Engine, pumping, Gaskill..... 1
Engine, steam, Shipman..... 159
Engine, 50 H. P., and boiler..... 119
Envelope moistener..... 131
Excavator, Couvreux's..... 135
Excavator, steam, French.....335, 339
Exposition, Cotton, N. Orleans...407

F

Faucet, Allwood's..... 210
Feed mechanism for roller mills. 354
Feeder for mills, new 5
Fender, fireplace, new 67
Fire engine house, N. Y..... 79
Fire escape, Collins'..... 194
Fire escape, Jensen's..... 84
Fire escape, Windmayer's..... 356
Fire extinguisher, Grinnell's..... 106
Fire extinguisher, Harden..... 19
Fish eating plant..... 105
Flesh brush, electric..... 306
Flower basket, Russian 106
Footboard, row boat..... 211
Fountain, Colladon's..... 359
Furnace, hot air, Travis' 99
Furnace, metallurgic, Wilson's... 51

G

Game counter 410
Games and puzzles, Norris'..... 114
Gas engine, new..... 414
Gas engine, Otto..... 326
Gas from petroleum..... 262
Gas lamp, Siemens' 191
Gas pressure moderator..... 232
Gases, liquefaction of 8
Gate and door latch..... 146
Gate, car, Hughes'..... 226
Gate, wagon-end, Keagy's..... 34
Generator, electric..... 227
Grass rolling table 262
Grain crusher, Jones'..... 146
Grate, cellar, Byar's..... 67
Greely expedition 49
Grenade, hand, Harden 19, 328
Grip for electric railways..... 326
Grooving and tonguing machine 179
Gun boats, stern-wheel..... 87
Gun boats, Victorian..... 166
Gun, Hotchkiss, new..... 198
Gun, Keely 230
Gun, machine, Maxim..... 391
Gun sight, Lyman's..... 276

H

Hair brush, electric 306
Hammer, steam, double 411
Hand grenade, Harden..... 19
Handle, tool, Hermann's 195
Hay carrier, Woodward's..... 66
Heater, steam, Beyer's..... 147
Hellicopteron, toy 342
Hoisting machine 259
Horse power, Rasmussen's..... 60
Horseshoes, various..... 195
Horses, leg brace for..... 212
Hydrator, lime..... 163
Hydraulic clocks, ancient..... 263
Hydraulic lift bridge..... 15

I

Ice, manufacture of, France..... 234
Iguanodon, skeleton..... 343
Index for journals, etc..... 19
Indigo grinder..... 22

J

Joint for electr. conductors..... 258
Jupiter and Venus, views of..... 335

K

Kangaroo life, phases 167
Kooky motor 227
Knob, door, Johnson's 194

L

Ladder, pole, Jayne's 115
Lamp, gas, Siemens'..... 191
Lamp, mouth, electric..... 259
Land-cape of Jurassic period ... 343
Laryngoscope, electric..... 259
Latch, door and gate..... 146
Lathe, screw-cutting 258
Launch, steam, metal..... 134
Leg brace, Cote's..... 212
Letter box, Stocks'..... 131
Life buoy, Howell's..... 56
Lightning, death by 120
Lime, app. for hydrating..... 163
Lock, pneumatic, Fuller's..... 18
Locomotive, Fretel's..... 115
Locomotive crane, 14-ton..... 127
Locomotive, freight 278
Loop for hanging garments..... 290
Lubricator, axle, Keller's..... 322
Lumber grader's tool..... 98
Lunar chart, Coleman's..... 264

M

Mail bag, Armstrong's..... 258
Manure loader, Davis'..... 83
Measuring canister, new..... 306
Mechanical movement, new..... 179
Mica sheet, Rovision's..... 396
Mill, grinding, new..... 22
Miter box, Cashin's 5
Motor deception, Keely 230
Motion, transmitter, Laird's 18
Motion transmitter, Rollins'..... 99
Mouth lamp, electric..... 259
Myrmelon, pit of..... 231

N

Navigation, aerial..... 342
Neith, planet..... 145
Night latch, Champion..... 340
Nitrogen, production..... 243
Nose deformities, treatment ... 260
Nurse, thermostatic 120

O

Oar, Stanton's 68
Observatory, portable..... 143
Ocarina, the..... 216
Oil cup, Irvine's 50
Optical illusions, new..... 311
Owl, decoy 427
Oxygen, production from air.... 243

P

Packing box for bottles 308
Pan, baking, Laube's..... 178
Paper box, Stock's 131
Paper cutter, Tylee's..... 130
Paper file, Gehr's 226
Paperweight, Heywood's..... 163
Paper weight, new..... 248
Paraffine brush, Thomas'..... 214
Pasteur, Louis 235
Pencil sharpener..... 248
Pens, Hewitt's..... 114
Petroleum, gas from..... 262
Phantom curve 35
Photography, Sun lamp in 71
Pianos, upright, improved 355
Pipe cutter, weil, Benson's..... 34
Pipes, casing for..... 410
Pipes, stove, Hirschmann's..... 344
Pipes, water, obstructions in..... 121
Planet Neith, problematic..... 145
Plant, fish-eating..... 105
Plow, Rapp's..... 66
Plow, Stevenson's..... 354
Pneumatic lock, Fuller's. 18
Pneumatic telegraph..... 395
Post mortem attitudes 23
Power for sewing machines..... 338
Power, transmiss., Boone meth.. 182
Press, baling, cotton..... 130
Press, conical..... 54
Press, De Nobili's..... 243
Press, screw, new..... 86
Press, silo, new. 414
Propeller, aerial, Depue's..... 130
Propeller wheel, Pearson's..... 7
Pulley, loose, Eureka..... 146
Pump, Greindel..... 118
Pump, McGwin's..... 34
Pump, mercurial, Cailletet's..... 8
Pump, vacuum, new..... 294
Puzzles and games, Norris'..... 114

R

Radiator, Bundy's..... 165
Raft, life, Adams'..... 242
Rail mill engine..... 291
Railway cradle 430
Railway, electric, Germany 227
Railway, elevated, Paris 214
Railway, ship..... 423
Railways, electric, grip for..... 326
Reel, clothes, Schwendler's..... 292
Refrigerating cars..... 395
Regulator for elevators..... 426
Rein support, Hoyt's..... 2 6
Retenoning machine 290
Reversing gear, Shanks'..... 38
Road vehicle, Oxford's..... 322
Rock cutter, Rapps' 70
Roller, tinsmith's, Beal's..... 147
Roller mills, feed mech. for..... 354
Rolling table, glass..... 362
Rope serving machine..... 354
Row boats, foot board for..... 211

S

Saddle men 215
Sail clamp, Idner's 34
Saw, buck, Case's..... 118
Saw, Crawford's..... 82
Saw mill for logs 207
Saw tooth, Brown's..... 68
Seat for wagons, Hodgess'..... 98
Seat, wagon, Miller's..... 228
Sewing machines, power for..... 338
Screw press, new 86
Screw top, Eddy's..... 52
Shade fixture, Ingalls'..... 67
Shade hanger, Fink's.. 292
Shade roller hanger 274
Shaft coupling, Golden's..... 20
Sheep destroyer, a 296
Shell, explosive, Bachelder's..... 274
Shell extractor, Waymire's..... 5
Ship railway..... 423
Ship, war, Esmeralda..... 319
Signal, drawbridge, Williams'.... 70
Silo press, Jefferson's..... 414
Siphon, Heron's..... 263
Sled, Carrara's..... 118
Speed indicator, Fowler's..... 417
Stamp moistener, Beaumont's... 131
Steam atomizers..... 150
Steam boiler, steam..... 179
Steam carriage, new..... 198
Steam engine, Shipman..... 278
Steam engine, Shipman..... 159
Steam excavator, French.....335, 339
Steam hammer, double..... 411
Steam heater, Boyer's..... 147
Steamships, compartments for... 8
Steam trap, Morse's..... 4
Steam wheel, Lalberty's..... 341
Steam yachts, American..... 303
Stove pipe, Hirschmann's..... 344
Surveyor's problems..... 117

T

Table, Kossbeil's 410
Tarantula, the..... 39
Telegraph, pneumatic 395
Telegraph wire conduit..... 83
Telephone, Bell, working of. ... 175
Telephone support, Warth's 24
Thill coupling, Struck's..... 18
Thill coupling, Wheeler's..... 40
Thomson-Houston exhibit..... 255
Tightening device, Pearson's ... 162
Tonguing and grooving mach.... 179
Tool, combination, Gable's..... 211
Tool for carpenters 178
Tool handle, Hermann's..... 195
Tool holder, Shine's..... 338
Torchlight procession, elect..... 310
Toy, Volke's..... 121
Trace fastener, Lindsay's..... 84
Trace holder, new 178
Tramway without rails..... 358
Trap, rainwater, Toomer's..... 4
Trap, steam, Morse's..... 4
Tree protector, Longacre's..... 226
Trombone, Schweich's 82
Trunk-strap tightener..... 162
Turntable, ship railway..... 431
Tubes, pneumatic 395
Turntable, home-made..... 165
Twine holder, Gilliland's..... 131

V

Vacuum pan, large..... 351
Valve, electro-pneumatic 105
Valve, plug, Ford's..... 50
Valve, slide, Smith's..... 18
Vehicle, road, Oxford's..... 322
Vehicle top, McCurdy's..... 306
Velocipede, mechanism for..... 162
Ventilator, Posz's..... 338
Ventilating vessels..... 338
Venus and Jupiter, views of..... 335
Vessels, launching 426
Vessels propelling 426
Vise, Whiting's..... 248

W

Wagon and gate, Keagy's..... 34
Wagon seat, Miller's..... 228
Wall scraper, Coleman's..... 264
War ship Esmeralda 319
Watch regulator..... 426
Watch works, American.....95, 102
Water-pipes, obstructions in.... 121
Water softening apparatus..... 323
Water tower, fire, N. Y 79
Watering device, stock-car..... 194
Weather strip, Bennett's 66
Well bucket, Foot's..... 52
Weston exhibit, Philadelphia.... 287
Wheel, current, Coffman's..... 178
Wheel, propeller, Pearson's..... 7
Wheel, steam, Laliberty's..... 341
Windlass, well-bucket, Palmer's. 4
Wire measuring device..... 291
Wireworms and skipjacks 37
Wolf, English..... 152

Y

Yachts, steam, American..... 303

MISCELLANY.

Figures preceded by a star (*) refer to illustrated articles.

A

Academy of Sci., National..... 256
Acid, salicylic, in beer..... 113
Acid, sulph., effect on blood..... 50
Acids, bile, source of..... 88
Acorn bread..... 259
Adder, blowing..... 118
Aerial navigation *342
Aerolite secured..... 426
Aeroplane, Tatin's..... *342
Air, liquefaction of..... 181
Air, sea, artificial..... 264
Air, vitiation of..... 53, 185
Alarm for bearings *410
Alcohol, effects of use..... 305
Alloys, conductivity of 133
Alum, mountain of..... 117
Aluminum manufacture..... 152
Aluminum, preparation..... 39
Aluminum, solder for..... 115
Aluminum, soldering 191
Am. Assoc. Ad. Sci 176
American Assoc., meeting 161
American enterprise abroad..... 100
American Institute Fair 208
Ammoniacal liq., analysis..... 201
Ammonia for plants..... 426
Anæsthetic, new..... 289
Analysis, chemical, drop meth.... 200
Analysis, microscope in..... 128
Analysis of ammoniacal liq..... 201
Animals as barometers..... 357
Animals, food, killing..... 148
Animals, marine, boring..... 34
Ant lion, the..... *231
Anthony, Henry T., death..... 257
Antimony in clothing..... 67
Antiseptic, cheapest..... 345
Apple-tree borer..... 105
Aquaria, sea water for..... 400
Aqueduct, ancient..... 325
Aqueduct, Washington..... 424
Arc lighting, economy of..... 70
Archæological discoveries..... 229
Arctic exploration, automatic.... 345
Arctic discoveries, Greely's..... 201
Ardea cœrulea..... 399
Armor experiments at Spezia.... 321
Army, reorganization of..... 241
Arrow release..... 413
Arsenic, post mortem diffusion... 115
Artesian well, Nevada..... 305
Assaying, rapid..... 17
Association, Advance of Science 3
Association, Brit. and Amer. 3
Asthma..... 134
Atmosphere, organisms in..... *279
Atmospheric changes at Nice.... 98
Atomizers, steam..... *150
Atropos (insect)..... 341
Attitudes after death..... *23
Attitudes, post mortem..... *120
Auger bit, Dimitt's..... *324
Australia, drought in.. 193
Axle, Gregg's..... *210
Axle, lubricator, Keller's *322
Axolotl, Mexican *9

B

Bacteria, atmospheric..... *279
Bag and twine holder..... *131
Bags, canvas, impervious..... 359
Baking-pan, Laube's..... *178
Balancing device..... *426
Baldness, prevention..... 272
Ballast, scientific..... 358
Balloon ascension, nocturnal.... 280
Balloon, electric, new..... *199
Banana peel as lubricator 52
Banknote paper..... 37
Bank notes, micro vegetation.... 247
Banyan tree, the..... 3
Barff process, the..... 64
Barn, portable *98
Barns, burning of..... 137
Barometer liquid..... (52) 42
Barometers, animals as..... 357
Basket, flower, Russian *106
Battery carbon, new..... 213
Battery carbons, how to make... 324
Battery, Lalande 17
Batteries, electric lighting by.... 21
Batteries, dry..... 99
Beads, glass, manufacture..... 106
Bearings, alarm for..... *110
Beer, Bavarian..... 345
Beer, keeping with oil..... 69
Beer, salicylic acid in..... 113
Belt material..... 392
Belting, fires from..... 308
Belts and shafts 241
Belts, electricity from 357
Bench strap, Adams'..... *322
Bending machine, Stokes'..... *51
Benzine a product of paraffine .. 69
Beverages, carbonated..... 37
Bicycle riding, doctors on..... 320
Bile acids, source of..... 88
Bird-catching tree..... 400
Bit, auger, Dimitt's *324
Blacking, shoe..... (71) 75
Blacking, waterproof..... (1) 13
Blacksmith, ingenious 337
Blast, carbon, Foster's. *359
Bleaching sponges..... 84
Blood circulation, history..... 414
Bloodworm, human..... 292
Blue dye in collodion 280
Boiler, exploded, flight of 104
Boiler explosion, experiments...*394
Boiler explosion, France..... *35
Boiler efficiency 117
Boiler, efficiency of..... 282
Boiler for heating buildings.....*196
Boiler, Robilliard's..... *274
Boiler, steam, Hedge's..... *179
Boilers, covered and uncovered. 197
Boilers, incrustation in..... 5
Bookstand, Bowman's..... *66
Borers, marine 258
Boring with compressed water.. 304
Botanizing on a coin..... *247
Bottles, packing box for..... *308
Box cover securer, new..... *19
Brace, leg, Cote's *212
Brain cells, renewal of..... 308
Brakes, need of..... 256
Branny foods, value of..... 97
Brass, coloring of..... 128
Bread, acorn..... 259
Bread, cost of..... 181
Bricks, concerning..... 82
Bricks, white 320
Bridge, Dom Pedro *307
Bridge extension, N. Y. & Bkln.. 233
Bridge lift, hydraulic..... *15
Brier root pipes 195
British Assoc., meeting..... 149
British Assoc., work of..... 160
Brontosaurus, skeleton of..... *343
Bronze, cobalt..... 277
Bronze for medals.....(4) 41
Bronze, Tucker..... 84
Brush exhibit, Philadelphia..... *271
Brush, paraffine, Thomas'..... *214
Buckle, Pender's..... *114
Bucket, well, Foot's..... *52
Bucket, wind ass, Palmer's..... *4
Buildings, preservation of..... 313
Bui dings, whims in 414
Bullets, vertical, flight of..... 5
Buoy, life, Howell's *56
Burns, ice for..... 52
Business, how is it 424
Business men, failure of..... 68

C

Cab, improved..... 296
Calendar, Haywood's..... *163
Camel corps, British..... *415
Camera lucida, new..... 398
Canal, Corinth..... *111
Canal, Panama..... 86
Canal, St. Petersburg 352
Cancer 192
Cane planter, Coleman's..... *307
Canister, measuring..... *306
Canned goods, poison, solder in.. 274
Cannon, huge, casting..... *47
Cannon mould, explosion..... 100
Cannon shot, wild cat..... 16
Canyon, grand, Colorado 130
Canvas bags, impervious..... 359
Canals 63
Capsule machine, Strickler's..... *324
Car coupler, trial of. 307
Car couplers..... 49
Car couplers on Mass. railways.. 224
Car couplers, Spencer's..... *226
Car coupling, Hoover's..... *134
Car coupling, McPheeter's..... *258
Car coupling, Spencer's 226
Car, dumping, Sherrod's..... *210
Car gate, Hughes' *226
Car, stock, watering device..... *194
Cars, freight..... 97
Cars, refrigerating..... *395
Carbon blast, Foster's..... *359
Carbon, sulph., disinfectant..... 312
Carbons, battery, how to make... 342
Card cutter, Tylee's *130
Carnations, border..... 185
Carp, how destroyed..... *105
Carpenters, tool for..... *178
Carriage, steam, new..... *198
Carving, wood, Swiss..... 196
Casing for pipes *410
Casting, roll, chilled..... 326
Castings, hard into soft..... 412
Castor oil, to give..... 297
Catamaran, steam..... *278
Catamaran, steam, new *63
Catch, curious..... 306
Catch, elevator..... *147
Catch, safety, Weeks'..... *36
Cats, in Leadville..... 395
Cattle, fine..... *399
Cattle, slaughter of..... 393
Caves, Fish River..... *223
Cedar shingles..... 22
Cellar drain, Posz's..... *338
Cellar grate, Byar's..... *67
Cement for brass or glass..... 216
Cement for glass and brass..... 86
Cement pipes for sewers..... 90
Channel tunnel 146
Change-box, car driver's..... *275
Charger to load revolvers..... *290
Chartreuse ..... (3) 59
Cheese, Gerome..... 132
Cheese, poisonous..... 401
Chemists, suggestion to..... 88
Chimney, taking down 131
Chimpanzees, young..... *247
Chinese-American, a..... 166
Chisels, cold, handle for..... 32
Chisels, cold, forms of..... 81
Chloroform syncope, treatment.. 337
Cholera..... 88
Cholera, advice about..... 89
Cholera and macaroni 231
Cholera boxed up 326
Cholera, fumigation for *152
Cholera in Europe..... 226
Cholera in 1884..... *150
Cholera morbus *327
Cholera, sulphur for 275
Cholera, wells and 241
Church from a single tree..... 297
Churn, Clark's..... *306
Cider, to keep sweet..... 396
City Hall, Philadelphia 226
Civil service reform in mines... 396
Claims, combina., infringe..... 244
Clamp, sail, Idner's..... *34
Claw bar, Hardwick's..... *354
Cleveland, great fire in..... 195
Clickbeetles *37
Client, appreciative..... 165
Clock frame, Wykhuysen's..... *195
Clocks, hydraulic, ancient..... *263
Clothes reel, Schwendler's..... *292
Clock, Trinity Church 82
Coal dust fuel in France 119
Coal gas, curious properties..... 33
Coal, natural gas vs..... 361
Coal, production for 1883..... 178
Cobalt bronze..... 277
Cocaine hydrochlorate..... 311
Cocoon of a spider..... 39
Coffee, poisonous 64
Coins, vegetation on..... *247
Cold, keep out the..... 306
College, Girard, works at..... 21
Collodiographic process..... 86
Collodion, blue added to..... 280
Colored lights, production of..... 35
Color printing 409
Color rays in photography..... 413
Colors, photo-printing in 68
Colter-hanger, Shaw's..... *275
Comet, new..... 244
Comets in 1885..... 179
Compartment for ships..... *8
Concrete vs. brick floors 248
Congress and Patent Office....48, 393
Constant-level apparatus. *263
Consumption..... 52
Cooling by evaporation..... 113
Copper for roofing.....193, 245
Copyright of labels..... 80
Copying pads..... (1) 122
Coral fishing 116
Corinth canal..... *111
Corn stalk cutter, Gillet's..... *162
Corn planter, Barrett's..... *82
Corn planter, Rickett's..... *4
Cotton baling press *130
Cotton Exposition, N. Orleans...*412
Cotton, separation of wool from 340
Cotton spinning, extension..... 35
Coupling, shaft, Golden's..... *20
Coupling, thill, Struck's..... *18
Coupling, thill, Wheeler's..... *40
Counter, game, Dayton's..... *410
Crab, edible..... *215
Crackle in glass..... 40
Crane, coal, new..... *275
Crane, locomotive, 14-ton..... *127
Cranks, sermon on..... 69
Cremation in Italy..... 307
Crib, Allender's..... *322
Criminal ignorance..... 392
Crow hut..... *426
Cruiser, Sfax, French..... 19
Cryptogams, spores of..... *279
Cud, chewing of the..... 21
Cultivator, Ham's..... *210
Cupola, Gmelin's..... *360
Cupola, improved *211
Currency, tale weight of..... 50
Current wheel, Coffman's..... *178
Currents, tidal..... 136
Curtain fixture, Ingalls'..... *67
Cuspidor stand, Scheidler's.....*106
Cut, great, in France..... 132
Cutlery, cast iron..... 289
Cylinder, gigantic..... 295
Cylinders, balancing..... 128

D

Deaf mutes, instruction of..... 17
Deafness, apparatus for..... 52
Death, does it sting..... 232
Delta metal..... 134
Developer for gelatine plates.. 341
Developer, potash..... 65
Diarrhœa, lemonade for..... 289
Diamonds in tools, setting..... *242
Diamond making, lightning for.. 133
Diamond mines, Brazilian 77
Diamond turning tools..... 210
Diamonds, production of..... 50
Dickson, Thomas, death of..... 81
Dictionary, mechanical, need of. 2
Diet, summer..... 117
Dinosaurs..... *343
Disease, hope as a remedy..... 4
Disease, starvation remedy for... 293
Disinfectant, carbon as 312
Disinfectants 245
Disinfectants, real..... 130
Disintegrator, Jones'..... *146
Distances at sea, determ..... 184
Distances, estimation of..... *55
Distances, estimating, methods.. 353
Divining rod, Raymond on..... 264
Dog, intelligence in a..... 210
Dom Pedro bridge *307
Door and gate latch..... *146
Door knob, Johnson's..... *194
Doorway of furnaces..... 82
Drain, cellar, Posz's..... *338
Draining, novel method..... 313
Drawbridge, signal..... *70
Drawers, Towles'..... *396
Drawings, reproduction of..... 18
Dredge makers, chance for..... 424
Dredge, marine, 300 H. P..... *111
Dredger, largest 280
Dredging at Oakland, Cal *101
Driving by friction.. 48
Drought, Australian..... 193
Drying machine, new..... *31
Duck, change of plumage..... 291
Dye, yellow..... 393
Dyeing of feathers.. 413
Dyeing, progress in..... 245
Dynamics, molecular..... 242
Dynamite, gelatine 8
Dynamite shells..... 265
Dynamo, effect of rest from..... 296
Dynamometer, Brush *271
Dynamometer, Frankel's *411

E

Ear diseases..... 216
Earth, magnetism of..... 196
Earth plates, novel form. 48
Earth worms 397
Earthenware, how made..... 69
Earthquake in Ohio 212
Earthquake of Aug. 10..... 112
Eel, electric, six-foot..... 13
Edison exhibit, Philadelphia..... *239
Education, mechanics in..... 145
Egg membrane in skin grafting.. 210
Egotism in the shop..... 320
Electric balloon, new *199
Electric conductors, joint *258
Electric eel, six-foot..... 313
Electric hair and flesh brush..... *306
Electric light at Hell Gate..... 282
Electric Light Co., U. S..... *246
Electric light for country..... 40
Electric light patents..... 86
Electric lighting, arc..... 70
Electric lighting by battery..... 21
Electric light, natural forces in. 353
Electric locomotion, hist..... 153
Electric mouth lamp..... *259
Electric properties of flames..... 167
Electric railway, Germany..... *227
Electric railway, new 84
Electric railways, grip for..... *326
Electric science, progress of..... 213
Electric torpedo boat.....100, 163
Electric wires vs. lightning..... 3
Electrical lantern..... 398
Electricity from belting..... 357
Electricity, new source of..... 53
Electricity without app..... *59
Electrical Exhib. in Boston..293, 341
Electrical Exhib., International. 160
Electrical Exhib., Philada... 153, 168
180, 192, 212, 232. *239, *255. 261, *271, *287
Elephants, facts about..... 167
Elevator catch, Giles'..... *147
Elevator catch, Weeks'..... *36
Elevator, Mason's *51
Elevator regulator *426
Emery wheels..... 160
Employer and employed..... 289
Employers, suggestions to. 396
Emulsion, gelatino-chloride..... 116
Emulsion, photo., improved..... 293
Enamel for metals 228
Engine, agricult., Shapley's..... *23
Engine, compound, Shank's..... *38
Engine, gas, new..... *414
Engine, gas, Otto..... *326
Engine, pumping, Gaskill..... *1

© 1884 SCIENTIFIC AMERICAN, INC

Engine, small, work ... 133
Engine, steam, Shipman ... *159
Engine, 50 H. P., and boiler ... *119
Engines, vapor, effic. of fluid in ... 351
Engines of elevated railways ... 184
Engineers, mechanical, training ... 201
Engineers, nationality ... 322
Engineers, notes for ... 276
Engineering models, American ... 90
England a century ago ... 20
Ericsson, Captain ... 81
Escharotics, painless ... 168
Etching-ink ... 232
Eucalyptus in whooping cough ... 19
Excavator, Couvreux's ... *135
Excavator, French ... *339
Exhibition, Louisville ... 24
Exhibition, metal ... 278
Exhibition, New Orleans ... 292, 425
Exhibition, N. Orleans, power for ... 104
Expansion, coefficient of ... 354
Expedition, polar, Finland ... 136
Experiment stations ... 97
Experiments, curious ... 4
Exploration, arctic, automatic ... 345
Explosives, combustion of ... 328
Export trade, value of ... 309
Exposition, Cotton, N. Orleans ... *412
Extinguisher, pneumatic, etc ... 31
Eye, removal of foreign bodies ... 66
Eyes, tired ... 183

F

Fabrics, fire proofing ... 179
Face, human ... 338
Fair, American Institute ... 208
Fair, N. England Institute ... 97
Farm implements, care of ... 337
Faucet, Allwood's ... *210
Feathers, dyeing of ... 418
Feed mechanism for roller mills ... *354
Feeder for mills, new ... *5
Fender, fireplace, Shoemaker's ... *67
Fever, hay ... 152
Fever, yellow, vaccination in ... 72, 313
Fig culture in Sicily ... 263
Films, photo., stripping ... 226
Filter, oil, simple ... 245
Filtration at Orange, N. J ... 223
Filtration of oil ... 181
Finishing by pressure ... 64
Finland polar expedition ... 136
Fire department, New York ... *85
Firefly light ... 36
Fire, great, Cleveland ... 195
Fire engine house, N. Y ... *79
Fire escape, Cullens' ... *194
Fire escape, Jensen's ... *84
Fire escape, Lindop's ... 295
Fire escape, Windmayer's ... *356
Fire extinguished by steam ... 3, 21
Fire extinguisher, Harden ... *19, *328
Fire extinguisher, Grinnell's ... *106
Fireproof paper ... 39
Fireproofing fabrics ... 179
Fires, forest, cause, etc ... 281
Fires from belting ... 308
Fish, destruction by dynamite ... 52
Fish, how bears catch ... 296
Fishing in Jalisco, Mex ... 327
Flames, electric properties of ... 167
Fluid in vapor engines, efficiency ... 352
Floral time-table ... 36
Flour, a barrel of ... 167
Flour, buttered ... 194
Flour, wood ... 215
Flower basket, Russian ... *106
Fluxes, welding ... 85
Fly wheel, bursting of ... 276
Focusing screens for camera ... 36
Fog horn, foot ... 147
Food animals, killing ... 148
Foods, branny, value of ... 97
Foot board, row boat ... *211
Foreign policy, wanted ... 32
Forest fires, cause, etc ... 281
Forces, natural, in elect. lighting ... 353
Foundations in quicksand ... 17
Foundry, Krupp, at Essen ... 162
Fountain, Colladon's ... *359
Free trade and protection ... 217
French cruiser, Sfax ... 19
Friction, driving by ... 48
Filling in gear plates, remedy ... 228
Fuel, coal dust, in France ... 119
Fuel, gas, natural, Pa ... 40
Furnace, hot air, Travis' ... *99
Furnace, metallurgic, Wilson's ... *51
Furnace, radiation, new ... 164
Furnaces, doorway of ... 82
Furniture, old and new ... 360
Furniture woods ... 231

G

Game counter, Dayton's ... *410
Games and puzzles, Norris' ... *114
Garden of Eden, letter from ... 264
Gardens, railway bank ... 146
Garrett, John W ... 231
Gas and metallurgic process ... 148
Gas as an industrial factor ... 2
Gas, cheap, Pittsburg ... 415
Gas, coal, curious properties ... 32
Gas engine, new ... *414
Gas engine, Otto ... *326
Gas flame, a high ... 17
Gas from paraffine oil ... 313
Gas from petroleum ... *262
Gas from pinewood ... 410
Gas from seaweed ... 106
Gas fuel, natural, Pa ... 40
Gas generator, revolving hearth ... 309
Gas, heating power of ... 144
Gas, hydrogen, production ... 184
Gas lamp, Siemens' ... *191
Gas light, new ... 87
Gas mixtures, combustion of ... 328
Gas, natu al ... 21
Gas, natural, vs. coal ... 36
Gas pipe, uses of ... 283
Gas pressure moderator ... *232
Gas works, Nature's ... 3
Gases, liquefaction of ... 4
Gate and door latch ... 7
Gate, car [illegible] ... *226
Gate, wagon-end [illegible] ... *14
Gar[illegible] preserve [illegible]as ... 17
Ge[illegible]rd oil ... 39
Gelatine dynamite ... 8
Gelatine plates, developer for ... 341
Gelatine plates, filling, remedy ... 228
Genius of the Jack-knife ... 72
Germ-ane ... 33
Girard College, works at ... 21
Glass bearings ... 82
Glass beads, manufacture ... 106
Glass, composition of ... 21
Glass, crackle in ... 40
Glass, ground, substitute ... 338
Glass making in Italy ... 49
Glass pots, manufacture ... 196
Glass rolling table ... *262
Glass, soluble ... 416
Glass, starched ... 65
Glass, tempered ... 68
Glaze, pottery ... (26) 347
Glaze, salt, discovery of ... 23
Globes, how built ... 2
Glue, recipe ... 186
Glue, test for ... 338
Gold in Norway ... 162
Gold leaf ... 392
Gout, recipe for ... 274
Grain crusher, Jones' ... *146
Grain regions, great, opening ... 215
Grain route, Hudson's Bay as ... 67
Grate, cellar, Byar's ... *67
Great Britain, extent ... 162
Greely expedition ... *49
Greely explorers at home ... 96
Greely's Arctic discoveries ... 201
Grenade, hand, Harden ... *19, *328
Grinding by machinery ... 32
Grinding materials ... 209
Grip for electric railways ... *336
Gumbo soil ... 356
Gums, solvent for ... 114
Gun boats, stern-wheel ... *87
Gun boats, Victorian ... *166
Gun, heavy, question ... 257
Gun, Hotchkiss, new ... *198
Gun, Keely ... *230
Gun, machine, Maxim ... 244, *391
Gun, multicharge ... 431
Gun, powerful ... *327
Gun sight, Lyman's ... *276
Gun tube, large ... 291
Guns, machine ... 248
Guns, old ... 163

H

Hair brush, electric ... *306
Hammer, steam, double ... *411
Hand grenade, Harden ... *19, *328
Handles for cold chisels ... 32
Handle, tool, Hermann's ... *195
Happiness and health ... 53
Harbor defense, ordnance for ... 411
Harness for engine horses ... 56
Harvesters, trial of ... 200
Haulage by rods ... 165
Hay carrier, Woodward's ... *66
Hay fever ... 152
Hay mows, ventilating ... 310
Hay, value for stock ... 259
Headache, nervous, cure for ... 411
Heart beats ... 33, 417
Heat conductivity of soils ... 415
Heater, steam, Boyer's ... *147
Heaters, acetate of soda ... 397
Helicopteron, toy ... *342
Herbs, medical ... 232
Hiccough, specific for ... 258
Hoe, Robert, death of ... 193
Hoisting machine ... *259
Hope as a remedy ... 4
Horses, best kinds ... 409
Horse, forty thousand dollar ... 130
Horse breeding in Russia ... 148
Horse, fun in a ... 146
Horse, how to buy ... 162
Horse, leg brace for ... *212
Horsemanship, marvelous ... 118
Horsepower, Rasmussen's ... *50
Horseradish ... 305
Horseshoes, sheep's horn for ... 67
Horseshoes, various ... *195
House, one, what constitutes ... 201
Hudson's Bay as grain route ... 67
Human body, motor power ... 290
Hurst, Lulu, umbrellas of ... 7
Hydraulic clocks, ancient ... *263
Hydraulic lift bridge ... *15
Hydraulic pumping ... 145
Hydrocarbon mineral, new ... 340
Hydrogen gas, production ... 184
Hydrophobia experiments ... 89
Hydrophobia, prevention ... 245

I

Ice water well, an ... 19
Idea, an ingenious ... 195
Idunium ... 353
Iguanodon, skeleton of ... *343
Inebreity, insurance risks in ... 282
Incrustation in boilers ... 5
Index for journals, etc ... *19
Indigo, machine to grind ... *22
Industrial Exhib., St. Louis ... 193
Ink, etching ... 232
Ink, stamping, indelible ... 397
Insane, treatment ... 307
Insects, boring ... 409
Insects, freight for young ... 280
Insurance risks in inebriety ... 282
Intensifier, a new ... 149
Intensifier, sulph. of soda ... 308
International Exhib., Antwerp ... 196
International Scient. Cong ... 196
Invention, an American ... 98
Invention, new, called for ... 197
Invention, now is the time for ... 80
Invention, startling ... 104
Invention wanted ... 291, 293
Inventions, agricultural ... 26, 41, 57, 73, 91, 107, 123, 138, 154, 169, 187, 202, 234, 250, 266, 298, 314, 346, 362, 402, 418
Inventions, engineering ... 10, 26, 41, 57, 73, 91, 107, 122, 138, 154, 169, 187, 202, 218, 234, 266, 298, 314, 329, 346, 362, 402, 418, 432
Inventions Exhib., London ... 165, 325
Inventions, mechanical ... 10, 26, 41, 57, 73, 91, 107, 122, 138, 154, 169, 187, 218, 250, 266, 314, 329, 432
Inventions, miscellaneous ... 10, 26, 41, 57, 73, 91, 107, 122, 138, 154, 169, 187, 202, 218, 234, 250, 266, 298, 329, 346, 362, 402, 418, 432
Inventions, small ... 121
Inventions wanted ... 131
Inventions, wealth from ... 325
Inventor, a young ... 51
Inventor, lucky ... 85
Inventor, poor, become rich ... 263
Inventors, Amer., more time for ... 338
Inventors, chance for ... 360
Inventors, hints to ... 408
Inventors, prize for ... 256
Inventors, rights of ... 3
Inventors, treatment of ... 396
Iron and steel, burning of ... 356
Iron and steel, composite ... 288
Iron and steel making, process ... 148
Iron and steel, union of ... 2
Iron, Barff process for ... 64
Iron, cast, soldering ... 192
Iron cutlery ... 289
Iron, galvanized, poisoning by ... 241
Iron, hard, working ... 276
Iron mine, Mexican ... 360
Iron, painting, new system ... 72
Iron, protection from rust ... 56
Iron, removal of paint from ... 411
Iron, removal of phosphorus ... 86
Iron, smelting and casting ... 113
Iron, upsetting of ... 275
Iron wire, galvanzed ... 305
Ivy lawns ... 308

J

Japan, our trade with ... 358
Joint for elect. conductors ... *258
Jupiter and Venus, views of ... *325

K

Kangaroo life, phases ... *167
Keely motor deception ... 70
Ki[illegible]ion ... 6
Kn[illegible]make, ... 3

L

Label law, erroneous interp ... 165
Labels and trademarks ... 49
Labels, copyright of ... 80
Labels, decisions on ... 240
Labels, registration of ... 133
Labor, value of ... 424
Ladder, pole, Jayne's ... *115
Lake, great, Hudson's Bay ... 337
Lake, Seneca, freezing ... 279
Lamp, gas, Siemens' ... *191
Lamp, mouth, electric ... *259
Lamp, sun, in photography ... *71
Lantern, electrical ... 398
Laryngoscope, electric ... *259
Latch, door and gate ... *146
Lathe feeds ... 81
Lathe, screw cutting ... *258
Launch, steam, metal ... *134
Laundry, facts about ... 89
Lawns, ivy ... 808
Lawsuit, protracted ... 307
Lead, economics of ... 97
Leather, glucose ... 147
Lecture room apparatus ... 7
Leg brace, Cote's ... *212
Lemonade for diarrhœa ... 289
Letter box, Stock's ... *131
Leveling shafts ... 224
Licht-Paus process, the ... 18
Life buoy, Howells' ... *56
Life, increased duration of ... 328
Life, prolonging, art of ... 281
Lifting persons by fingers ... 181
Light, elect.. for country houses ... 40
Light, electric, Hell Gate ... 282
Light, experiments on ... 309
Light, firefly ... 361
Light, heat, etc., supplied ... 166
Lights, colored, production ... 35
Lightning protector ... 424
Lightning rods, efficiency ... 134
Lightning, terrors of ... 134
Lilies, pond, domestic ... 282
Lime, app. for hydrating ... *168
Liquefaction of air ... 181
Liquefaction of gases ... 137
Lives, increasing length of ... 40
Lock, pneumatic, Fuller's ... *18
Locomotion, electric, history ... 158
Locomotive crane, 14-ton ... *127
Locomotive, freight ... *278
Locomotive, Fretel's ... *115
Locomotive, smoke burning ... *357
Locomotive, smoke consuming ... 163
Loop for hanging garments ... *290
Louisville Exposition ... 24
Lubricating oils, safe ... 216
Lubricator, axle, Keller's ... *322
Lumber graders, tool for ... *98
Lunar chart, Coleman's ... *264

M

Macaroni and cholera ... 231
Machine belts, electricity from ... 357
Machine gun, Maxim ... 244
Machine gun, Maxim's ... *391
Machine, new, wanted ... 133
Machine shop, dispatch in ... 356
Machine tools, portable ... 64
Mackerel and ale ... 54
Madagascar ... 393
Mad-stone, the ... 167
Magic photographs ... 396
Magnesium, platinized ... 132
Magnesium, preparation of ... 340
Magnets, experiment with ... 201
Magnetism of earth, determ ... 196
Magnetism, intlu. on embryo ... 328
Mail bag, Amstrong's ... *258
Mail sacks, repairing ... 88
Man, old, smartest ... 312
Man, proper weight of ... 279
Manganese in animals ... 51
Manure loader, Davis' ... *83
Maps, reproduction of ... 178
Maps, relievo, manufacture ... 90
Marble, how to clean ... 34
Marine borers ... 258
Marine signals, need of ... 216
Masonry, stone, artificial ... 340
Measuring canister ... *306
Meat preserving process ... 24
Mechanical movement, new ... *179
Mechanics in education ... 145
Mechanics, young, principles for ... 357
Men who are promoted ... 214
Mercury, antiquity of ... 113
Mercury, properties ... 216
Meridian, prime, conference ... 257
Mersey Tunnel, accident ... 144
Metal, a basic ... 393
Metal, Delta ... 134
Metal Exhib., Nuremberg ... 278
Metal, new, idunium ... 353
Metals, conductivity ... 133
Metals, enamel for ... 228
Metals, radiating power ... 146
Metals, turning to pattern ... 224
Metallic objects, photos of ... 104
Metallurgic furnace, Wilson ... *51
Metallurgic process, new ... 148
Meter, length of the ... 247
Meters, wet, non-freezing ... 20
Meteor, great ... 71
Meteors, remarkable, two ... 257
Metric system, enforced use ... 297
Mica sheet, Rovison's ... *396
Mice, feeding with putty ... 295
Microscope in analysis ... 128
Microscopic items ... 53
Microscopic slide, beautiful ... 360
Milk ... 214
Mill, indigo, new ... *22
Mill accident, peculiar ... 324
Million, journey of a ... 351
Mine, iron, Mexican ... 360
Mines, civil service reform in ... 396
Mines, diamond, Brazil ... 71
Mines, silver, Australian ... 197
Miter box, Cashin's ... *5
Moigno, L'Abbe ... 165
Money box, strong ... 24
Money, purchasing power ... 409
Monitors, breaking up ... 195
Montefiore, Sir Moses ... 341
Moon, candle light power ... 431
Mortar, good, composition ... 340
Mosquito and yellow fever ... 233
Mosquito's bill ... 98
Motion transmitter, Laird's ... *18
Motion transmitter, Rollins' ... *99
Motor, Keely ... *230
Mountain of alum ... 117
Mountains, position of ... 413
Mouth lamp, electric ... *259
Mucilage, recipe for ... 186
Mummy, Cornell's ... 84
Muscular contr., post-mortem ... 81
Musk ... 414
Muskrat, the ... 80
Muskets, old, use of ... 40
Mutes, deaf, instruction ... 17

N

Nail, ingrowing ... 275
Navigation, aerial ... 147, 273, *342
Negatives, over-intense ... 228
Negatives, paper ... 290
Neith, planet ... *145, 197
Nerves, suture of ... 152
Nervous headache, cure for ... 411
New Guinea, northeast coast ... 183
Newton, Isaac, death of ... 213
Night latch, Champion ... 340
Nitrogen, production ... *243
Noise, prevention of ... 23
Nose deformities, treament ... *260
Nurse, thermostatic ... *120

O

Oar, Stanton's ... *68
Observatory, McCormick ... 241
Observatory, portable ... *143
Ocarina, the ... *216
Oil, castor, how to give ... 297
Oil cup, Irvine's ... *50
Oil, filtration of ... 181
Oil filter, simple ... 245
Oil, paraffine, gas from ... 313
Oil, waste of ... 313
Oil, watermelon ... 295
Oil well, gigantic ... 280
Oil well, intermittent ... 162
Oil works, Pacific, new ... 17
Oils, drying ... 17
Oils, lubricating, safe ... 216
Oldest, smartest ... 273, 12
Oleomargarine, detection of ... 295
Olive culture, Turkey ... 296
Optical illusions, new ... *311
Ordnance for harbor defense ... 411
Ordnance, Spanish, old ... 356
Oriole, intelligence of ... 19
Ornamentation, pine ... 160
Orphan's friend, the ... 54
Owl, decoy ... *427
Oxygen, industrial production ... *243
Oxygen in water ... 5
Oyster laws, early ... 21
Oysters ... 357
Ozokerite ... 118
Ozone, liquefaction of ... 358

P

Packing box for bottles ... *308
Paint, luminous ... 327
Paint, removal from iron ... 411
Painting tin roofs ... 229
Pan, baking, Laube's ... *178
Panama Canal ... 86
Panacea for trouble ... 277
Paper, banknote ... 37
Paper box, Stock's ... *131
Paper, Chinese ... 414
Paper cutter, Tyle's ... *130
Paper, electricity from ... *39
Paper file, Gehr's ... *226
Paper, fireproof ... 39
Paper, letter, as fuel ... 360
Paper, luminous ... 34
Paper-making materials ... 25
Paper negatives ... 290
Paper, silvering ... 65
Paper, water proof ... 17
Paper weight, improved ... *248
Papers, subjects for ... 417
Paraffine brush ... 214
Paraffine oil, gas from ... 313
Paris, the real ... 280
Passion flower, uses of ... 306
Paste, recipe for ... 186
Pasteur, Louis ... *295
Patent office and Congress ... 393
Patent office, British, report ... 89
Patent office business 1883-4 ... 361
Patent offic , Congress and ... 48
Patent office deficiency ... 165
Patent office, delay in ... 409
Patent office, delays in ... 282
Patent office surplus ... 336
Patent, telephone, sustained ... 393
Patents, decisions relating to, 20, 37, 69, 185, 201, 248, 345, 416
Patents, electric light ... 86
Patents industrially classified ... 145
Patents, property in ... 336
Patents, railway ... 100
Patents, United States ... 18
Pathway, perilous ... 260
Patterns, varnish for ... 327
Pavement, new, Berlin ... 256
Pavement, wood, Kerr ... 99
Pavement, wood, 10 year old ... 228
Pavements, wood ... 308
Pavements, wooden, Paris ... 293
Pavements, wood, salt for ... 293
Pencil sharpener ... *248
Pen, steel, how made ... 401
Pens, Hewitt's ... *114
Peppermint, facts about ... 97
Petroleum, gas from ... *226
Petroleum industry, our ... 152
Petroleum industry, Russian ... 121
Petroleum springs, India ... 37
Phantom curve ... *35
Phosphorus in iron, removal ... 86
Photo films, stripping ... 226
Photo emulsion, improved ... 293
Photo enlargements on canvas ... 321
Photo printing in colors ... 68
Photographic items ... 65
Photographs, magic ... 396
Photography, color rays in ... 413
Photography, medical ... 68
Photographic notes ... 228
Photography, sun lamp in ... *71
Photography with colors ... 23
Photographs of metal objects ... 104
Photographs, paper, to photo ... 228
Photography, progress of ... 341
Phthisis, sputa, disinfect ... 291
Phylloxera ... 306
Physician, exemption from debt ... 248
Pianos, Mason and Hamlin ... *355
Picks, mill, sharpening ... 259
Pile, carbon, new ... 213
Pine, white, ornamentation ... 160
Pinewood, gas from ... 410
Pipe-cutter, well, Benson's ... *34
Pipe, gas, uses of ... 268
Pipes, brier root ... 195
Pipes, casing for ... *410
Pipes, stove, Hirschmann's ... *344
Pipes, water, obstruction ... 34, *121
Planet Neith ... 197
Planet, Neith, problematic ... *145
Planets, aspects for December ... 337
Planets, aspects for January ... 425
Planets, aspects for November ... 273
Planets, aspects for October ... 209
Planets, aspects for September ... 129
Planets for August, aspects of ... 65
Planets, colors of ... 164
Plans, reproduction of ... 178
Plant, fish-eating ... *105
Planter, corn, Rickett's ... *4
Plants, ammonia for ... 426
Plants, climbing, in trees ... 90
Plants, sand-binding ... 54
Plants, stray ... 260
Plow, Stevenson's ... *354
Plow, Rapp's ... *66
Plowing, fall ... 310
Plumage of duck, change ... 291
Plumbing, criminal ... 336
Pneumatic lock, Fuller' ... *18
Pneumatic railway ... 116
Pneumatic telegraph ... *395
Polar expedition, new ... 18
Porcelain manufacture, Dresden ... 25
Porter, Rufus ... 297
Postal notes, poisonous ... 153
Post-mortem contraction ... 81
Post-mortem attitudes ... *23, *120
Power for N. Orleans Exhibition ... 104
Power for sewing machine ... *338
Power, motor, of human body ... 290
Power of water to more gravel ... 324
Power, transmis., Boone method ... *182
Power, water, for cities ... 153
Press, baling, new ... *130
Press, beet-pulp ... *54
Press, De Nobili's ... *242
Press, screw, new ... *86
Press, silo, Jefferson's ... *414
Printing, color ... 409
Prints, to mount on muslin ... 249
Probert process ... 327
Propeller, aerial, Depue's ... *130
Propeller wheel, Pearson's ... *7
Protection and free trade ... 217
Pulley, loose, Eureka ... *146
Pulleys and gears ... 392
Pulleys, leather faced ... 275
Pulp, wood, manufacture ... 310
Pump, Greindel ... 119
Pump, McGwin's ... *34
Pump, mercurial, Cailletet's ... *3
Pump, vacuum, new ... *294
Pumping engine, Gaskill ... *1
Pumping, hydraulic ... 145
Pumping, transmission for ... 116
Putnam River ... 396
Puzzles and games, Norris' ... *114
Pyrometer, water ... 415

Q

Quarantine system, improved ... 137
Quicksand, excavating in ... 324
Quicksilver, properties ... 216

R

Rabies inoculation ... 131
Radiator, Bundy's ... *165
Radish, horse ... 305
Raft, life, Adams' ... *242
Rafts, great ... 260
Rags, importation ... 186
Rail mill engine ... *291
Railroad, a wonderful ... 87
Railroad subsidies, Mexico ... 327
Railroad time, fast ... 293
Railroad travel, safety of ... 70
Railroad warfare ... 289
Railroads, elevated, engines ... 184
Railroads of U. States ... 99
Rails, creeping of ... 295
Rails, steel, exporting ... 326
Rails, steel, cost of making ... 308
Railway bank gardens ... 146
Railway cradle ... *430
Railway, electric, Germany ... *227
Railway, electric, new ... 84
Railway, elevated, Paris ... *214
Railway law ... 197
Railway patents ... 100
Railway, ship ... *423
Railway, ship, Eads' ... 320
Railway signal, new ... 413
Railway speed, fast ... 101
Railway, street, pneumatic ... 116
Railway, Sweden to Lapland ... 200
Railways, electric, grip for ... *336
Railways of the United States ... 130
Rain, machine to produce ... 258
Rain water trap, new ... *4
Rain water trap, Toomer's ... *4
Rat trap, ingenious ... 115
Rattlesnake bite ... 52
Reamers, grinding ... 320
Reel, clothes, Schwendler's ... *292
Refrigerating cars ... *395
Regulator for elevators ... *426
Rein support, Hoyt's ... *236
Relic, interesting ... 356
Reptiles, hibernation of ... 185
Retenoning machine ... *290
Revenue cutter, new ... 128
Riches, road to ... 22
Rings, colored, electro-chem ... 292
Rheumatism, liniment for ... 361
Rheumatism, starving ... 341
Rheumatism, snake cure for ... 147
Rhus poison, remedy for ... 50
River, Putnam ... 396
Road vehicle, Axford's ... *322
Rock cutter, Rapp's ... *70
Rock formation, curious ... 242
Roll casting ... 326
Rolling table, glass ... *262
Roller, tinsmith's, Beals' ... *147
Roman remains in London ... 22
Roofing, copper for ... 193, 245
Roofings, cost of ... 20
Roofs, shingled, painting ... 132
Roofs, tin, painting ... 229
Rope serving machine ... *354
Row boats, foot board for ... *211
Rubber tubing, gas-tight ... 247
Rubber, vulcanization of ... 289
Russia, Amer. and Eng. colonies ... 130

S

Sabine, Robert H ... 356
Saddle men ... *215
Saharan sea, proposed ... 412
Sail clamp, Idner's ... *34
Salad dressing (6) ... 41
Salaries in Switzerland ... 39
Salicylic acid in beer ... 113
Salmon, canning of ... 246
Salt for wood pavements ... 293
Saltpeter bed, new ... 134
Salt well, how worked ... 82
Saw, buck, Case's ... *118
Saw, Crawford's ... *82
Saw mill for logs ... *207
Sawmill, woman owner of ... 400
Saw tempering ... 424
Schools, German, overwork ... 129
Sciatica, cure for ... 281
Science, for advancement of ... 177
Screens, focusing, for camera ... 36
Screw bolt heads ... 96
Screw, Kunstadter, trial of ... 33
Screw, perfect ... 31, 90
Screw, return ... 304
Screw tap, Eddy's ... *52
Screws, leading, cutting ... 16
Sea air, artificial ... 264
Sea, African, ancient ... 304
Sea, Saharan, proposed ... 412
Seat for wagons, Hodges ... *98
Seat, wagon, Miller's ... *228
Seaweed, gas from ... 106
Seeing, art of ... 289
Seneca Lake, freezing ... 279
Sense of taste ... 164
Serious if true ... 8
Sewerage for a town of 10,000 ... 98
Sewers, cement pipes for ... 90
Sewing machine trade, anom ... 80, 217
Sewing machines, power for ... *338
Shade fixture, Ingalls' ... *67
Shade hanger, Fink's ... *292
Shade roller hanger ... *274
Shaft coupling, Golden's ... *20
Shafts and belts ... 241
Shafts, leveling and lining ... 224
Shafts, straightening ... 96
Sheep destroyer ... *296
Sheep's horn horse shoes ... 67
Shell, explosive, Bachelder's ... *274
Shell extractor, Waymire's ... *5
Shingles, cedar ... 22
Ship, great, launch of ... 53
Ship of war, Esmeralda ... *319
Ship railway ... *428
Ship railway, Eads' ... 320
Ship, war, Italian ... 195
Ships of war, swift ... 321
Shop, egotism in ... 328
Shop, machine, dispatch in ... 356
Shop management, system in ... 36
Shop practice, German ... 200
Shop savings ... 240
Shortsightedness ... 274
Shots firing, simultaneous ... 3
Shrubs, hardy, ornamental ... 340
Sick room, sea atmosphere ... 152
Signal, drawbridge, Williams' ... *70
Signal, railway, new ... 413
Signals, marine, wanted ... 216
Signs, changeable ... 98
Silo press, Jefferson's ... *414
Silver bromide residues ... 71
Silver mines, Australian ... 197
Silver, permeability for oxygen ... 121
Silvering paper ... 65
Siphon, Heron's ... *263
Skin grafting, egg membrane ... 210
Sky rocket, steam ... 52
Slate for roofing, cost ... 20
Sled, Carrara's ... *118
Slide, a beautiful ... 360
Smelting of iron ... 118
Snake cure for rheumatism ... 147
Snow water impurities ... 231
Soap, insoluble ... 100
Soap to remove stains ... 116
Soda acetate heater ... 397
Soda, manufacture of ... 121
Soda sulphite, test for ... 106
Soils, heat conductivity ... 415
Solder for aluminum ... 115
Solder, poison, canned goods ... 274
Soldering aluminum ... 191
Soldering of cast iron ... 192
Speaking between N. Y. & Boston ... 115
Speed indicator, Fowler's ... *417
Speed, possibilities of ... 137
Speed, variations of ... 49
Speeds, changeable ... 272
Spider, cocoon of ... 89
Spider's thread ... 19
Spinning, cotton, England ... 35
Sponges, bleaching ... 84
Sprains, remedies for ... 276
Springs, wire, winding ... 17
Spruce forests, destroyer in ... 264
Stamping ink, indelible ... 397
Stamp moistener, Beaumont's ... *131
Starch grains, chemistry of ... 113
Starches, saccharification ... 132
Steam boiler, Hedge's ... *179
Steam boiler incrustation ... 5
Steam carriage, new ... *198
Steam catamaran ... *278
Steam engine, Shipman ... *159
Steam excavator, French ... *339
Steam hammer, double ... *411
Steam heating app., troubles ... 7
Steam heater, Boyer's ... *147
Steamship, Cunard, new ... 290
Steamship models ... 311
Steamship Umbria ... 279, 416
Steamships, Atlantic, great ... 186
Steamships, compartments for ... *8
Steam trap, Morse's ... *4
Steam to extinguish fire ... 312
Steam wheel, Laliberty's ... *341
Steam yachts, American ... *303
Steamer, stern-wheel, new ... 272
Steamer, war, Riachuelo ... 83
Steel and iron, burning of ... 356
Steel and iron composite ... 288
Steel and iron, union of ... 2
Steel, Bessemer, turning ... 70
Steel, burnt, restoring ... 11
Steel, [illegible]e, N. Y ... *79
Steel, effect of hardening [illegible] ... 401
Steel, [illegible] device, sleek car ... *194
Steel hardened by pressure ... 401
Steel, influ. of punch'g ... 244
Steel made and reworked ... 83
Steel or tin plates ... 52
Steel, painting, new system ... 72
Steel pens, how made ... 401
Steel, protection from rust ... 56
Steel, rails, cost of ... 308
Steel rails, exporting ... 326
Steel, tempering by compression ... 194
Steel tests ... 96
Steel, toughening process for ... 136
Steel uniformity ... 352
Steel wire, galvanized ... 305
Steel work, Bessmer, U. S ... 354
Stove pipe, Hirschmann's ... *344
Stoves, cost of making ... 216
Strawberries, ammonia for ... 426
Streets, golden ... 39
Substance, wonderful ... 118
Sugar, granulated, American ... 33
Sugar making, pan for ... *351
Sugar, separation method ... 137
Sulphur for cholera ... 275
Sulphur well, Ohio ... 228
Summer diet ... 117
Sun, giant, movements of ... 55
Superheating, experiments on ... 394
Surfaces, scraping to fit ... 32
Surgical operation, remarkable ... 188
Surveyor's problems ... * 17
Syncope, chloroform, treatment ... 337

T

Table, Kossbiel's ... *410
Tank, water, copper ... 136
Tallow, how to bleach ... 32
Tarantula, the ... *39, 149
Taste, sense of ... 164
Tea, machine to cure ... 7
Telegraph instrument, first ... 213
Telegraph, pneumatic ... *395
Telegraph wire conduit ... *83
Telegraphic contest ... 260
Telegraphs, world's ... 258
Telegraphy, extraordinary ... 277
Telephone, Bell, pat. sustained ... 393
Telephone, Bell, working of ... *175
Telephone suit, Drawbaugh ... 408
Telephone suit, great ... 208
Telephone suit, the ... 233
Telephone support, Warth's ... *24
Telephone, the ... *180
Telephone wires, underground ... 264
Telephony in Australia ... 275
Tellurium, nit. acid treatment ... 321
Temperatures, kiln drying ... 66
Thermometer as pressure gauge ... 17
Thermostatic nurse ... *120
Thickness, testing, apparatus ... 194
Thill coupling, Wheeler's ... *40
Thill coupling, Struck's ... *18
Thomson-Houston exhibit ... *255
Tidal wave, wide reach ... 84
Tides and tidal currents ... 136
Tightening device, Pearson's ... *162
Timber, drying of ... 415
Timber and tools ... 312
Timber borers, marine ... 281
Time, railway, quick ... 281
Time table, floral ... 36
Tin or steel plates ... 412
Tin roofs, painting ... 229
Tonguing and grooving mach ... *179
Toning, red, recipe for ... 35
Tool, combination, Gable's ... *11
Tool for carpenters ... *178
Tool handle, Hermann's ... *194
Tool holder, Shine's ... *338
Tools and timber ... 312
Topography, expediting ... 185
Torpedo boat, electric ... 100, 163
Torpedo service, naval ... 46
Torpedoes, automatic ... 272
Torchlight procession, elect ... *310
Toy, mischievous ... 249
Toy, Volke's ... *121
Trace fastener, Lindsay's ... *84
Trace holder, new ... *178
Track and switch, test of ... 149
Trade mark decisions ... 240
Trade mark rights ... 262
Trade mark, Salvation Army's ... 262
Trade marks ... 324
Trade marks and labels ... 49
Trade marks in Japan ... 342
Trade marks, value of ... 242
Trade with Japan, our ... 353
Tree, bird-catching ... 400
Tramway without rails ... *258
Transmission of motion ... *18
Transmission, wire rope ... 116
Transparencies, coloring ... 292
Trap, rain water, Toomer's ... *4
Trap, rat, ingenious ... 115
Trap, steam, new ... *4
Treasure vault, Vanderbilt's ... 24
Treasury, unclaimed money in ... 87
Tree protector, Longacre's ... *226
Trees for shelter, etc ... 38
Trombone, Schweich's ... *82
Trunk strap tightener ... *162
Tubes, pneumatic ... *395
Tubing, rubber, gas-tight ... 247
Tuning fork, vibrations of ... 22
Tunnel, Arlberg, opening ... 265
Tunnel, channel ... 146
Tunnel, old ... 131
Tunnel, Mersey, accident ... 144
Turning tools, diamond ... 210
Turn table, home-made ... 165
Twins, connected ... 86

U

Umber, burnt ... 260
Umber, raw ... 257
Umbrellas, etc. of Lulu Hurst ... 7
Umbria, new steamer ... 416

V

Vaccination for yellow fever ... 313
Vaccination, value of ... 289
Vacuum pan, large ... *351
Vacuum pump, new ... *294
Valerian for wounds ... 247
Valves electro-pneumatic ... *105
Valve, plug, Ford's ... *50
Valve, slide, Smith's ... *18
Vapor engines, effic. of fluid in ... 352
Varnish for patterns ... 327
Varnish for paper, waterproof ... 100
Vegetable culture, Bermuda ... 324
Vehicle, road, Axford's ... *322
Vehicle top, McCurdy's ... *306
Velocim eter, new ... *417
Velocipedes, mechanism for ... *162
Ventilating vessels ... *338
Ventilation ... 274
Ventilator, Posz's ... 348
Venus, is there snow cap on ... 182
Venus and Jupiter, views of ... *325
Vermilion, Chinese ... 249
Vessels, balancing ... *426
Vessels, marine, ventilating ... *396
Vessels, propelling ... *426
Vise, Whiting's ... *248
Vision, human ... 325
Volkmar, death of ... 64

W

Wagner Institute, the ... 228
Wagon end gate, Keagy's ... *34
Wagon seat, Hodgess' ... *98
Wagon seat, Miller's ... *228
Wall scraper, Coleman's ... *264
War ship Esmeralda ... *319
War ship, Italian, new ... 195
War ships, swift ... 321
War steamer Riachuelo ... 83
Watch regulator ... *426
Watch works, American ... *95
Watches, how made ... *102
Watches, magnetization of ... 177
Water, compressed, boring with ... 304
Water filtration, Orange ... 228
Water, too much ... 163
Water, oxygen in ... 5
Water pipe shock ... 327
Water pipes, obstruction ... 34, * 12
Water power for cities ... 153
Water, power of to move gravel ... 324
Waterproofing paper ... 17
Waterproof paper varnish ... 100
Water pyrometer ... 415
Water, purification of ... 186
Water, sea, for aquaria ... 400
Water, snow, impurities ... 231
Water softening apparatus ... *323
Water tank ... 136
Waterwheel on ... 295
Waves, oiling the ... 322
Wax, chucking ... 274
Wealth from inventions ... 325
Weather forecasts ... 194
Weather, prediction of ... 200
Weather strip, Bennett's ... *66
Weather, to foretell ... 393
Weights & measures, metric, etc ... 184
Weight of man, proper ... 279
Welding-fluxes ... 85
Well, artesian, Nevada ... 305
Well bucket, Foot's ... *52
Well, flowing, Lockport ... 323
Well, ice water ... 19
Well, oil, gigantic ... 280
Well pipe cutter, Benson's ... *34
Wells and cholera ... 241
Weston exhibit, Philada ... *287
Whale caught by cable ... 195
What next? ... 98
Wheel, current, Coffman's ... *178
Wheel, fly, bursting of ... 276
Wheel, propeller, Pearson's ... *7
Wheel, steam, Laliberty's ... *341
Wheels, balancing ... 128, 197
Wheels, emery ... 160
Wheels, raw-hide ... 192
Whooping cough, communicating ... 413
Whooping cough, eucalyptus in ... 19
Windlass, well, Palmer's ... *4
Wind, direction of ... 339
Wire cutting ... 336
Wire, iron and steel, galvanized ... 305
Wire measuring device ... *291
Wire springs, winding ... 17
Wire worms and click beetles ... *37
Wires, anti-induction ... 24
Wolf, English ... *152
Women, centenarian ... 359
Wood carving, Swiss ... 196
Wood, drilling and boring ... 288
Wood, economy of in France ... 293
Wood flour ... 215
Wood, keeping moist ... 101
Wood pavements ... 308
Wood pavement, old ... 228
Wood, petrified ... 354
Wood, petrified,